

November-December 1990

Supplement

Volume 15, Number 6S

ISSN 0146-521X



Regional Anesthesia

*The Journal of Neural Blockade
in Obstetrics, Surgery, and Pain Control*


Subject and Author Indexes
Volumes 1-15
1976-1990



*Official Publication of the American
and European Societies of Regional Anesthesia*

Published for the Societies by J. B. Lippincott Company, Philadelphia

Accuracy, Precision & Safety...



CONTIPLEX®

Continuous nerve block

PLEXUFIX®

Short beveled needles
and trays

STIMUPLEX®

Nerve locator and
insulated needles

in

NERVE BLOCK ANESTHESIA

BURRON MEDICAL INC.
824 Twelfth Avenue
Bethlehem, PA 18018
800-523-9695 / 215-691-5400
B. Braun of America Company

B. BRAUN



November-December 1990
SUPPLEMENT

Vol. 15

No. 6S



Regional Anesthesia

**Subject and Author Indexes
Volumes 1-15
1976-1990**

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by J. B. Lippincott Company for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that

the base fee of \$00.80 per copy, plus \$00.05 per page is paid directly to CCC, 21 Congress St., Salem, MA 01970. 0003-4932/89 \$00.80 + \$00.05.

Journal of the American and
European Societies of
Regional Anesthesia

Regional Anesthesia

EDITORIAL BOARD

Editor in Chief

GERARD W. OSTHEIMER, M.D.
Boston, MA

Senior Editors

PHILLIP O. BRIDENBAUGH, M.D.
Cincinnati, OH

HAROLD CARRON, M.D.
Washington, D.C.

BENJAMIN G. COVINO, Ph.D.,
M.D.
Boston, MA

Associate Editors

STEPHEN E. ABRAM, M.D.
Milwaukee, WI

COSMO A. DiFAZIO, Ph.D., M.D.
Charlottesville, VA

BRENDAN T. FINUCANE, M.D.
Edmonton, Canada

MATHIEU GIELEN, M.D., Ph.D.
Nijmegen, The Netherlands

PER H. ROSENBERG, M.D., Ph.D.
Helsinki, Finland

GALE E. THOMPSON, M.D.
Seattle, WA

Historical Editor

ALON P. WINNIE, M.D.
Chicago, IL

Consulting Editors

ROBERT A. BOAS, M.B., B.S.,
F.F.A.R.A.C.S.
Auckland, New Zealand

LYNN M. BROADMAN, M.D.
Washington, D.C.

PHILIP R. BROMAGE, M.B.B.S.,
F.F.A.R.C.S., F.R.C.P.(C.)
Newark, DE

PETER BROWNRIDGE, M.B., Ch.B.,
D.R.C.O.G., F.F.A.R.C.S.
Adelaide, Australia

RANDALL L. CARPENTER, M.D.
Seattle, WA

JOSE CARLOS ALMEIDA CARVALHO,
M.D.
Sao Paulo, Brazil

SHEILA E. COHEN, M.B., Ch.B.,
F.F.A.R.C.S.
Stanford, CA

MICHAEL J. COUSINS, M.B., B.S.,
M.D.(Syd), F.F.A.R.A.C.S.,
F.F.A.R.C.S.
Adelaide, Australia

DONALD D. DENSON, Ph.D.
Cincinnati, OH

B. RAYMOND FINK, M.D.
Seattle, WA

CHARLES P. GIBBS, M.D.
Denver, CO

NICHOLAS M. GREENE, M.D.
New Haven, CT

ARNO I. HOLLMER, M.D., Ph.D.
Suomi, Finland

GERMAIN L. HOULE, M.D.,
F.R.C.P.(C.)
Montreal, Canada

HENRIK KEHLET, M.D., Ph.D.
Hvidovre, Denmark

J. BERTIL LOFSTROM, M.D., Ph.D.
Linköping, Sweden

LAURENCE E. MATHER, Ph.D.,
F.F.A.R.A.C.S.
Adelaide, Australia

RONALD MELZACK, B.Sc., M.Sc.,
Ph.D.
Montreal, Canada

KENJIRO MORI, M.D.
Kyoto, Japan

EDWIN S. MUNSON, M.D.
Cincinnati, OH

NARINDER RAWAL, M.D., Ph.D.
Orebro, Sweden

SEBASTIAN REIZ, M.D., Ph.D.
Paris, France

LINDA JO RICE, M.D.
Washington, D.C.

D. BRUCE SCOTT, M.D., F.R.C.P.E.,
F.F.A.R.C.S.
Edinburgh, Scotland

ANDRE VAN ZUNDELT, M.D., Ph.D.
Eindhoven, The Netherlands

J.A.W. WILDSMITH, M.D., F.C.ANAES.
Edinburgh, Scotland

W. DESMOND R. WRITER, M.B.,
Ch.B.
Halifax, Nova Scotia

TONY L. YAKSH, Ph.D.
LaJolla, CA

Published for the Society by J.B. Lippincott Company • Philadelphia

REGIONAL ANESTHESIA (ISSN 0146-521X) is published bi-monthly by the American Society of Regional Anesthesia, at J. B. Lippincott Company, Downsview Pike, Route 3, Box 20-B, Hagerstown, MD 21740. Business offices are located at East Washington Square, Philadelphia, PA 19105. Printed in the U.S.A. © Copyright 1990 by the American Society of Regional Anesthesia. Second class postage paid at Hagerstown, MD, and at additional mailing offices.

Subscription information, orders or nonmember changes of address: (except Japan, India, Nepal, Bangladesh, and Sri Lanka) Downsview Pike, Route 3, Box 20-B, Hagerstown, MD 21740, or call 1-800-638-3030; in Maryland call collect 301-824-7300. In Japan, contact USACO Corporation, 13-12, Shimbashi 1-chome, Minato-ku, Tokyo 105, Japan. In India, Nepal, Bangladesh, and

Sri Lanka, contact Universal Subscription Agency Pvt. Ltd., 101-102 Community Centre (F.F.) Saket, New Delhi-110017, India. **Members' change of address,** American Society of Regional Anesthesia, P. O. Box 11086, 1910 Byrd Ave., #118, Richmond, VA 23230-1086.

Annual subscription rates: U.S. \$70.00 individual, \$95.00 institution; Residents/Students \$30.00; all other countries except Japan, \$85.00 individual, \$115.00 institution. Single copies \$25.00. Rates for airmail delivery available upon request. Copies will be replaced without charge if the publisher receives a request within 60 days of the mailing date in the U.S. or within 5 months in all other countries.

POSTMASTER: Send address changes to REGIONAL ANESTHESIA, Downsview Pike, Route 3, Box 20-B, Hagerstown, MD 21740.

Guide for Authors

REGIONAL ANESTHESIA publishes original articles, clinical reports, review articles and correspondence that are relevant to the practitioner concerned with local anesthetics, regional anesthesia, and pain management. All manuscripts except correspondence are reviewed by three or more members of the Editorial Board or outside consultants.

MANUSCRIPT SUBMISSION

Submit four copies—the original and three duplicates—to

Gerard W. Ostheimer, M.D.
Editor in Chief
REGIONAL ANESTHESIA
Department of Anesthesia
Brigham and Women's Hospital
75 Francis Street
Boston, MA 02115

Authors should keep copies of all material submitted.

Manuscripts are received with the understanding that they have not been published or submitted for publication in whole or in part elsewhere, and a covering letter to this effect should be enclosed with the manuscript. The covering letter must also contain the following language before the manuscript can be reviewed: "In consideration of REGIONAL ANESTHESIA taking action in reviewing and editing my (our) submission, the author(s) undersigned hereby transfers, assigns, or otherwise conveys all copyright ownership to the American Society of Regional Anesthesia in the event that such work is published by REGIONAL ANESTHESIA."

The original letter of transmittal should name one author as correspondent, with his address, and include the signatures of all the authors, which signifies that each listed author must (1) have participated in the work and could publicly defend its contents; and (2) have read the manuscript prior to its submission for publication and agrees with its contents.

MANUSCRIPT PREPARATION

Manuscripts must be prepared and submitted in the manner described in "Uniform Requirements for Manuscripts Submitted to Biomedical Journals," reprinted in *Annals of Internal Medicine* 1982; 96: 766-771 and *Lancet* 1982; 284: 1766-1770.

All material must be in English and typed double-spaced on one side of standard typewriter paper, leaving wide margins. Type the page number in the upper right-hand corner of each page, beginning with the title page. Please use the following checklist when preparing your manuscript. Each section should begin on a new page in the following sequence:

☐ TITLE PAGE

Should include the title of the article and the names of the authors with their highest degrees and affiliations. The principal author must justify listing more than five authors in the cover letter. To receive reprint requests or correspondence, the author should indicate the address to which they should be sent. Separate photographs should specify where the work was done; whether the study was supported by a grant or otherwise; and/or the meeting, if any, at which the paper was presented.

☐ ABSTRACT

Should state briefly and clearly the purpose, procedures, results, and conclusions of the work. Suggest key words under which the article should be indexed.

☐ TEXT

Should follow this outline:

☐ **Introduction:** Clearly state the purpose of the article. Give only strictly pertinent references, and do not review the subject extensively.

☐ **Methods:** Describe your selection of observational or experimental subjects clearly. Identify methods, apparatus, and procedures in enough detail to allow others to reproduce the results.

☐ **Results:** Present your results in logical sequence in text, tables and illustrations—emphasize or summarize only important observations.

☐ **Discussion:** Emphasize new and important aspects of the study and conclusions that follow from them.

☐ **Acknowledgments:** Acknowledge only persons who have made substantive contributions to the study.

☐ REFERENCES

Number references consecutively in the order in which they are first mentioned in text (or tables or legends), using Arabic numerals. References must be verified by the author(s) against the original documents.

Reference listings should use the form adopted by the U.S. National Library of Medicine and used in Index Medicus.

Book or Book Chapter: Last name, initials, for all authors and/or editors; book title, edition (if more than one); location and name of publisher; year of publication; page number(s) if needed to direct readers to a specific section.

EXAMPLE—Murphy TM. Somatic blockade of head and neck. In: Cousins MJ, Bridenbaugh PO, eds. *Neural Blockade in Clinical Anesthesia and Management of Pain*. Philadelphia, JB Lippincott, 1988: 546-548.

Journal Article: Last name, initials, for all authors; article title; publication name, year, volume number, inclusive pages.

EXAMPLE—Hoffman HC. Perforated appendicitis: A 30-year review at the Swedish Hospital Medical Center. *Am Surg* 1968; 34: 534-537.

☐ TABLES

Type each table on a separate sheet, double-spaced. Number tables consecutively, as cited in text, and supply a brief title for each. Give each column a short or abbreviated heading. Put explanatory matter in footnotes, not the heading.

☐ LEGENDS FOR ILLUSTRATIONS

Type legends double-spaced, with Arabic numerals corresponding to the illustrations. Explain clearly in the legend any symbols, arrows, numbers, or letters used to identify parts of the illustrations. Identify method of staining in photomicrographs and magnification.

☐ ILLUSTRATIONS

Four sets of illustrations (one for each copy of the manuscript) must be submitted. Black-and-white illustrations (up to approximately 5×7 inches), in the form of glossy prints, will be reproduced free of charge, but the publisher reserves the right to establish a reasonable limit. Color illustrations will be published only at the author's expense.

Line drawings should be professionally executed and photographed, with lettering large enough to be easily read after necessary reduction. Do not send x-ray film, color slides, or glass plates; instead send black-and-white prints of the correct intensity.

On the back, very lightly done as to leave no imprint on the face, identify the illustration with the number, top indication, author's name and brief article title.

☐ PERMISSIONS/TRIAL APPROVAL

Permission of the author and publisher must be obtained for the direct use of previously published material (text, tables, illustrations) and must accompany the manuscript when it is submitted for publication.

No manuscript describing investigations carried out in humans will be accepted for publication unless the text states that the study was approved by the authors' institutional human investigation committee and that informed consent was obtained from all subjects or, in the case of minors, from parents. No manuscript describing investigations in animals will be accepted for publication unless the text states that the study was approved by the authors' institutional animal investigation committee.

☐ REPRINTS

Reprints may be ordered from the reprint order form sent to the authors with galley proofs.

PUBLISHER'S NOTICE

BUSINESS ADDRESS: Reprint orders, advertising and all other business communications should be sent to

REGIONAL ANESTHESIA
J.B. Lippincott Company
East Washington Square
Philadelphia, PA 19105

INSTRUCTIONS: PLEASE PRINT
OR USE TYPEWRITER. COMPLETE
EACH SPACE. WRITE "NONE" IF
QUESTION IS NOT APPLICABLE.



APPLICATION FOR
MEMBERSHIP
Membership includes
subscription to
Regional Anesthesia

The American Society of Regional Anesthesia

P. O. BOX 11086 / 1910 BYRD AVE., SUITE 118 / RICHMOND, VIRGINIA 23230-1086 (804) 282-0010

CHECK MUST ACCOMPANY APPLICATION
PAYABLE IN U.S. CURRENCY

Date of Application _____

1. I hereby make application for:

- ☐ Active (M.D., D.D.S. residing in U.S.) \$100.00 (U.S. Funds)
☐ Associate (M.D. residing outside U.S.) \$50.00 (U.S. Funds)
☐ Affiliate \$50.00 (U.S. Funds) Non-Physician personnel, administering clinical anesthesia or involved in research in anesthesia
☐ Resident \$15.00 (U.S. Funds) **Must be endorsed by Director of Training Programs***

2. Name _____
(Last) (First) (Middle)

3. ☐ Business Address _____ Phone _____
(Area Code) (Number)

(City) (State) (Zip)

4. ☐ Home Address _____ Phone _____
(Area Code) (Number)

(City) (State) (Zip)

5. Date of Birth _____ ☐ M.D. ☐ D.O. ☐ Ph.D. ☐ Other _____
(Month) (Day) (Year)

6. **Residents Only*** Residency Ends _____
MO/YR

7. Type of Practice: A. Private Practice _____ C. Government _____
B. University Practice _____ D. Other (Specify) _____

8. CRNAs Only: AANA Membership Number _____

9. Social Security Number _____ - _____ - _____

10. Interest in Regional Anesthesia: Surgery _____ Obstetrics _____ Pain Control _____

*(Endorsement—for Resident Members)

Applicant Signature _____

1. If applying for Resident membership, have you secured endorsements?
2. If applying for Resident membership, did you show date when your Residency ends?
3. The request of your social security number is for reporting CME hours to various organizations requesting this information.

APPROVED FOR:

(For Office Use Only)

(Rev. 9/88)

Active _____ Affiliate _____

Fee Paid _____

Associate _____ Resident _____

Date Paid _____

Membership Number _____

Chairman, Membership Committee _____ Date _____

P. O. BOX 11086 / 1910 BYRD AVE., SUITE 118 / RICHMOND, VIRGINIA 23230-1086 (804) 282-0010

CHECK PREFERRED MAILING ADDRESS

FIFTEEN YEAR INDEX

Regional Anesthesia
October-December 1976 – November-December 1990

Funded by a grant from Burrion Medical Inc.

Publications of Interest to ANESTHESIOLOGISTS

*Indispensable tools for
maintaining professional competency*

ANESTHESIOLOGY

*Journal of the American Society
of Anesthesiologists, Inc.*

Lawrence J. Saidman, M.D., Editor-in-Chief

Anesthesiologists nationwide look to this distinguished journal for current information on all facets of anesthesiology: pharmacologic bases of anesthesia; clinical principles, practices, and techniques; anesthesia management; complications of anesthesia and surgery; and more.

Published monthly. Individual rate \$100.00 per year (U.S.), \$150.00 (elsewhere).

REGIONAL ANESTHESIA

*Journal of the American and European
Societies of Regional Anesthesia*

Gerard Ostheimer, M.D., Editor

For the growing number of those concerned with the burgeoning specialty of regional and local anesthesia, this quarterly journal publishes highly informative articles on the clinical applications of current research and on professional issues and developments.

In addition to original articles, regular features include review articles discussing the current status of particular facets of the field; abstracts from other journals, especially international publications; case reports; clinical reports; correspondence; announcements of professional events; and editorials.


Published bi-monthly. Individual rate \$70.00 (U.S.), \$85.00 (elsewhere). Residents \$30.00 (U.S. only).

ASA Refresher Courses in Anesthesiology

*A Project in the Continuing Education Program
of the American Society of Anesthesiologists*

Paul Barash, M.D., Editor

Each annual volume in this popular series consists of thirteen to nineteen complete and edited lectures



selected from regional and national ASA Refresher Courses. Individually bound, the lecture "chapters" are printed as separate booklets and gathered into an attractively designed looseleaf binder. This format contributes to an orderly file of information for use as a working reference and a continuously updated addition to your personal library.

Published annually. Price per volume \$19.00 (U.S.), \$24.00 (elsewhere). Residents \$19.00 (U.S. only). Volume Eighteen now available.

PROBLEMS IN ANESTHESIA

*A new quarterly series for
general anesthesiologists and residents
in anesthesia*

Robert R. Kirby, M.D., and
David L. Brown, M.D., Editors

Devoted to the daily questions and challenges familiar in the practice of every anesthesiologist: safety for high-risk patients, monitoring, cardiac considerations, OR emergencies, perioperative care. Original, invited articles are directed entirely to

clinical problems; no research papers or reviews appear. Each volume offers ten to twenty articles, planned by the guest editor or editors and grouped around one or two central themes.

Published quarterly. Individual rate \$70.00 (U.S.), \$90.00 (elsewhere). Residents \$45.00 (U.S. only).

PROBLEMS IN CRITICAL CARE

*A new quarterly series for
specialists in critical care*

Robert R. Kirby, M.D., and
Robert W. Taylor, M.D., Editors

Problems—patients with acute, life-threatening conditions—the *raison d'être* of every critical care unit. Shock, trauma, drug overdose, cardiac emergencies, severe burns—the questions that are familiar in the daily practice of every anesthesiologist who serves as a member of the critical care team. Original, invited articles in this series are aimed foursquare at clinical questions, bringing you current information for better care of acutely ill patients. Each volume presents ten to twenty articles, planned by the guest editor or editors and centered around one or two specific topics.

Published quarterly. Individual rate \$70.00 (U.S.), \$90.00 (elsewhere). Residents \$40.00 (U.S. only).

The Journal of Clinical Pharmacology

*The Official Publication of the American
College of Clinical Pharmacology*

John C. Somberg, M.D., Editor

A unique journal devoted to the clinical study of the nature, action, efficacy and total evaluation of drugs, both new and established, as they are used in man. Edited for clinical pharmacologists and physicians concerned and responsible for the appropriate selection, investigation and prescribing of drugs.


**Published monthly.
Individual rate \$85.00 U.S.
\$115.00 (elsewhere).**



Lippincott

**J.B. Lippincott Company
A Wolters Kluwer Company
227 East Washington Square
Philadelphia, PA 19106-3780**



 **TO ORDER...Call us TOLL FREE (USA except AK) 1-800-638-3030.**

SUBJECT INDEX—Volumes 1–15 (1976–1990)

Abbott lecture

- childbirth in the nineteen-eighties, 6:67
- epidural anesthesia and childbirth, 3(3):5
- perspectives in spinal anesthesia, 7:55

Abdominal

- aortic surgery, epidural morphine for, pharmacokinetics of, 14:107
- cancer, nonpancreatic, neurolytic celiac plexus block in, 14:63

Abstracts, 1(1):8, 2(1):7, 2(2):10, 2(3):7, 3(1):8, 3(2):8, 3(3):11, 3(4):10, 4(3):23, 4(4):23, 5(2):22, 5(3):23

Accidental spinal anesthesia with etidocaine, 10:145

Acetaminophen, topical, mucous membranes and, 6:47

Acid aspiration in labor, 7:S60

Acidosis

- fetal, epinephrine intravenous test dose and, 15:237
- neonatal, hypotension-induced, and spinal anesthesia in cesarean section, 12:191

Action(s)

- of alcohol, on living nerve, 1(1):2
- of bupivacaine, low molecular weight dextran and duration of, 3(2):6
- in intravenous regional anesthesia, site of, 4(1):8

Acute hypovolemia, high epidural analgesia and, cardiovascular effects of dihydroergotamine in, 5(4):11

Acute pain

- and injury response (Bonica lecture), 14:162
- therapy—whose responsibility? (Bonica lecture)

Adjuvant local anesthetic, dextran as, 6:108

Adrenergic block, causalgia treatment with, 6:79

Aerosol anesthetics, etidocaine, for laryngotracheal anesthesia, 9:188

Age. *See also* Elderly

- and bupivacaine central nervous system toxicity, 14:288

Agents

- choice of, for intravenous regional anesthesia, 4(1):10
- local anesthetic, epidurally administered, interaction of diazepam and, 5(2):8

Air embolism

- in cesarean delivery, Doppler and oximetric monitoring for, 14:145
- venous, during cesarean delivery, 15:170

Air injection, epidural deliberate, radiography of, 14:180

Air travel, following lumbar puncture, 2(3):4

Alcohol, action of, on living nerve, 1(1):2

Alcohol block, pudendal neuralgia and, 6:120

Alkalinization. *See* pH adjustment

- of intravenous lidocaine, 15:59
- of mepivacaine, and onset of interscalene block for shoulder surgery, 15:242

Allergic reaction, to epidural steroid deposition and skin testing, 14:253

American Society of Regional Anesthesia. *See also* ASRA

- abstracts from 1990 annual meeting, January–February 1990 Supplement
- annual meeting (March 17–20, 1988), abstracts from, January–March 1988 Supplement
- annual meeting (March 30–April 2, 1989), abstracts from, March–April 1989 Supplement
- twelfth annual meeting of, abstracts from, 12:22, 12:84

Amide local anesthetics, pH adjustment schedule for, 14:229

Amide-type local analgesics, in vitro inhibitory effect of, on human plasma cholinesterases, 3(4):7

Amiel-Tison-Barrier-Schnider scoring system, 6:136

Amiodarone, for bupivacaine-induced arrhythmias, 15:174

Anaesthesia. *See* Anesthesia

Analgesia

- antipyretic, topical, mucous membranes and, 6:47
- continuous epidural, volumetric infusion pumps for, 4(1):3
- continuous intraspinal narcotic, implantable infusion system for, 7:110
- continuous lumbar epidural, for labor, skin temperature changes during, 4(4):4

epidural

- catheter obstruction in, 7:164
- during labor, effect on fetal plasma catecholamine release, 10:169
- ischemic heart disease and, 7:S8
- neurologic complications with, obstetrics and, 7:119
- postpartum recovery and, 6:13

high epidural, mild acute hypovolemia and, cardiovascular effects of dihydroergotamine in, 5(4):11

intrathecal ketamine as, 6:91

lumbar epidural, in baboon, 3(4):3

obstetric

- continuous epidural infusion for, 8:10; 5(1):19
- effect of epinephrine addition to epidural morphine in, 10:129
- epidural, effect on fetal plasma catecholamine release, 10:170
- of intrathecally administered morphine and, 2(3):3

postoperative

- intercostal nerve blockade for, in fractured ribs, 8:151
- intrathecal morphine for, 6:1
- parenteral opiates for, 7:144

preservation of, during use of intramuscular naloxone to reverse side effects of epidural morphine, 10:16

regional, optimal ratio of bupivacaine and dextran for, 4(4):2

spread of, in thoracic epidural analgesia, 9:78

thoracic epidural, glucose, cortisol, insulin, and glucagon responses to surgery and, 7:107

unilateral, epidural block and, 6:117

Analgesics, amide-type local, in vitro inhibitory effect of, on human plasma cholinesterases, 3(4):7

Anastomosis, colonic, disruption of, associated with epidural anesthesia, 5(1):22

Anesthesia

cardiovascular effects of, 7:S1

catecholamine levels in, 7:S49

epidural

childbirth and, 3(3):5

disruption of colonic anastomosis associated with, 5(1):22

effect on intervillous blood flow in caesarean sections, 2(4):2

for total hip replacement, 4(2):8

with bupivacaine and chloroprocaine, postcesarean section narcotic requirements following, 5(4):15

general

comparison of spinal and, for transurethral resection of prostate, 4(4):8

effect on intervillous blood flow in caesarean sections, 2(4):2

high spinal, with bupivacaine, following obstetric epidural block technique, 4(4):21

hospitalization time and, 7:S151

immunocompetence and, 7:S68

intravenous regional

choice of agents for, 4(1):10

comparison of etidocaine and lidocaine for, 5(4):17

complications of, 4(1):14

pharmacokinetics of, 4(1):5

site of action of, 4(1):8

standard technique for, pitfalls and modifications of, 4(1):13

symposium on, 4(1):3

local. *See* Regional anesthesia

obstetric

fetal heart rate monitoring and, 3(3):2

principles and practice of, 4(2):14

outpatient surgery and, 7:S156

potency of, bupivacaine vs. lidocaine and, 6:95

psychological alterations after, 7:S141

regional. *See also* Regional anesthesia

alive, awake, and doing nicely, 1(1):1

ancillary measures to assure success in upper extremity surgery, 5(1):9

complications of upper extremity surgery, 5(1):6

- five-year index, 1975-1980, 5(4):22
for outpatient surgery, 4(4):6
for patients with chronic lung disease, 5(4):20
for renal transplantation, 4(3):13
future of, 2(3):1
historical considerations for upper extremity surgery, 5(1):2
in morbidly obese, 4(3):20
mechanism of action for, dextran prolonging of, 5(2):3
medicolegal controversies, mini-heparinization for prophylaxis of thromboembolism, 1(1):4
perivascular technique for upper extremity surgery, 5(1):5
traditional or supraclavicular technique for upper extremity surgery, 5(1):3
regional blood flow changes and, 7:S24
spinal. *See also* Spinal anesthesia
current and future status of, 4(2):10
duration of, effects of anesthetic drugs, vasoconstrictors, and continuous techniques on, 3(1):3
experiences over 40 years, 4(2):3
primary effect in, sensation of warmth in lower extremities as, 2(4):5
successful, effects of baricity, position, and equipment on, 3(1):2
volume and, 2(1):1
volume augmentation of anesthetic mixture in, 2(1):2
topical, mucous membranes and, 6:47
vasopressors and, 4(3):19
Anesthesiologist
changing role of in pain management (ASRA lecture), 14:4
role of, in pain center, 8:166
Anesthesiology triad in obstetrics, mother-fetus-physician as, 6:159
Anesthetic mixtures
local, rational use of, 4(3):11
volume augmentation of, in spinal anesthesia, 2(1):2
Anesthetic techniques
continuous epidural infusion of bupivacaine during labor, 10:139
effect on intervillous blood flow in caesarean sections, 2(4):2
postoperative pulmonary complications in geriatric patients and, 7:S122
spinal bupivacaine, compared with epidural etidocaine anesthesia for orthopedic surgery in old and young patients, 10:62
surgical sequelae and, surgeon's view of, 7:S178
Anesthetics
duration of spinal anesthesia and, 3(1):3
local. *See also* Specific anesthetic
biotransformation of, 2(2):7
chronotropic and inotropic effects in guinea pig atria, 7:149
density of, 3(2):4
epidurally administered, interaction of diazepam and, 5(2):8
ethylene oxide sterilization of, 4(3):2
mechanism of action of, 2(2):4
new concepts of toxicity for, 4(3):6
physiologic disposition of, 2(2):6
prilocaine, underutilization of, 10:155
symposium on, 2(2):4
toxicity of, 2(2):8
pH and, 5(4):10
unusual responses to, 3(4):2
manufacture and storage of, 13:1
spinal, multiple, 2(3):4
Animals, pregnant, epidural epinephrine in, 6:4
Anoxia, mammalian myelinated and unmyelinated nerve fibers and, 7:2
Anterior spinal artery syndrome, and chloroprocaine, 9:124
Antiarrhythmics, bupivacaine and, 15:180
Antidepressants, bupivacaine and, 15:180
Antipyretic analgesics, topical, mucous membranes and, 6:47
Antipyrine, topical, mucous membranes and, 6:47
Antithrombotic activity of regional anesthesia, 7:S89
Apgar score, 6:136
Apnea
after intravenous regional guanethidine blockade, 11:39
post-retrobulbar, 14:203
Aqueous suspension, sterile, local injections of methylprednisolone, degenerative lesions in rat sciatic nerve after, 5(1):13
Arrhythmias
bupivacaine
plasma cation concentrations and, in normokalemic cats, 8:104
treatment of 6:99
bupivacaine-induced
amiodarone or bretylium for, 15:174
drug interactions and, 15:180
in dogs, 11:20
during epidural analgesia for cesarean section, in gestational diabetic, 11:147
Arterial oxygen saturation, pulse oximetry continuous monitoring of, in spinal anesthesia, 12:63
Arterial pressure response to surgery, 7:S61
Arthrogryposis multiplex congenita, in infant, continuous caudal block in, 12:18
Articular nerve of Luschka, percutaneous cryogenic neurolysis and, 6:18
Aspirin
bleeding time after, 9:86
topical, mucous membranes and, 6:47
ASRA
eighth annual meeting of, abstracts from, 8:31
ninth annual meeting of, abstracts from, 9:31
seventh annual meeting of, abstracts from, 7:72
tenth annual meeting of, abstracts from, 10:32
Atria, guinea pig, chronotropic and inotropic effects of local anesthetic agents on, 7:149
Atrial tachyarrhythmias, during epidural analgesia for cesarean section, in gestational diabetic, 11:147
Attitudes and experiences of patients with regional vs. general anesthesia, 7:S163
Axillary block, 6:133
continuous, for postoperative pain, 13:77
transarterial, with high-dose mepivacaine, 12:159
Axillary brachial plexus block, continuous, mepivacaine serum levels in, 14:124
Axillary sheath cannulation, with spinal needle-catheter combination, for continuous brachial plexus anesthesia, 12:139
Baboon, lumbar epidural analgesia in, 3(4):3
Backache, after epidural obstetric analgesia, and spinal cord compression, 14:256
Barbatoe, after epidural obstetric analgesia, and spinal cord compression, 14:256
Baricity
effect on successful spinal anesthesia, 3(1):2
of bupivacaine, temperature and, 15:6
tetracaine, spinal anesthesia in sheep and, 6:129
Benign intracranial hypertension, cesarean section in, regional anesthesia for, 11:182
Bennett, Alexander Hughes, 8:1
Benzocaine, topical, mucous membranes and, 6:47
Benzodiazepines
convulsant arrest with arrhythmias and, 6:99
supraconvulsant doses of local anesthetics and, 6:51
Beta blockers, bupivacaine and, 15:180
Bicarbonate. *See* pH adjustment
Bier block, historical review of, 15:2
Bilateral interpleural analgesia, 14:95
Bladder distension, and cardiovascular depression, during recovery from epidural anesthesia, 10:184
Bladder tumor resection, transurethral, in 101-year-old man, spinal anesthesia in, 8:127
Bleeding
disorders, obstetric analgesia in, 14:95
time, after aspirin, 9:86
Blindness, partial, after epidural steroid blocks, 9:98
Block. *See* Nerve block
Blockade, continuous, of peripheral nervous system, in treatment of chronic pain, 4(3):16
Blood
and tissue glucose and glucolytic metabolite levels in surgery, 7:S57
flow
cutaneous, after axillary brachial plexus block, 9:68
intervillous, in caesarean sections, effect of anesthetic method on, 2(4):2

- muscle, direct and indirect effect of local anesthetics on, evaluated by tissue oxygen pressure, 10:82
- regional, anesthesia-induced changes in, 7:S24
- gas changes, ventilation for, prevention of local-anesthetic-induced feline convulsions and, 7:103
- loss
- and cervical epidural anesthesia, in radical mastectomy, 11:171
 - thromboembolism and, 7:S84
- patch. *See also* Epidural blood patch
- delayed response to, 9:211
- epidural
- epidural anesthesia 2 hours after, 13:13
 - for post-lumbar puncture headache in child, 9:102, 154
 - temporary relief of, 10:191
- pressure elevation, tourniquet-induced, in general vs. regional anesthesia, 12:174
- viscosity, postoperative psychological sequelae and, 7:S148
- Blush, facial, and facial pallor, after interscalene brachial block, 9:203
- Brachial plexus
- block, 6:133
 - alkalinization of bupivacaine for, 10:59
 - axillary, skin blood flow after, 9:68
 - continuous
 - axillary, mepivacaine serum levels in, 14:124
 - axillary sheath cannulation with spinal needle-catheter combination for, 12:139
 - using an axillary catheter for treatment of accidental intra-arterial injection, 10:187
- etidocaine, motor block outlasting sensory block in, 9:146
- full-scale electronic model for teaching of, construction of, 8:130
- incidence of neuropathy following, 10:12
- interscalene
- contralateral facial blush and ipsilateral facial pallor after, 9:203
 - lidocaine hydrochloride vs. lidocaine hydrochloride for, 15:194
 - phrenic nerve block and, 8:123
 - lidocaine, motor block outlasting sensory block in, 9:146
 - postoperative, buprenorphine vs. morphine for, 14:274
 - respiratory arrest after, 6:133
 - transarterial, with high-dose mepivacaine, 12:159
- interscalene approach to, parasthesiae vs. nerve stimulator in, 12:80
- nerve block, phenol, for upper extremity cancer pain, 13:58
- Bretium, for bupivacaine-induced arrhythmias, 15:174
- Bupivacaine
- 0.5% vs. 0.75%, for epidural anesthesia for cesarean section, 11:80
 - analgesic properties of, vs. etidocaine and lidocaine, in mice, 9:90
 - and diazepam, cardiac and hemodynamic effects of, 14:298
 - and lidocaine, convulsant doses of in conscious dog, cardiovascular effects of, 10:175
 - and Torsades de Pointes-like arrhythmias, in dogs, 11:20
- arrhythmias
- and, amiodarone or bretium for, 15:174
 - caused by, 6:99
- as rapid-acting epidural anesthetic, 12:135
- bilateral interpleural injection of, 14:93
- blocking action of, effect of pH on, 11:132
- cardiac
- arrhythmias and plasma cation concentrations of, in normokalemic cats, 8:104
 - effects of, 6:55 7:149
- cardiovascular
- depression by, nifedipine enhancement of, 14:19
 - effects of, with and without epinephrine, 15:137
 - response to, in hypertensive elderly, 14:66
- cardiotoxicity of, 14:58
- central nervous system toxicity of, and age, 14:288
- compounding of, with mepivacaine, 9:94
- continuous mini-infusion of, into epidural space, during labor, 10:139
- convulsions induced by, in general anesthesia, 9:207
- distribution of, effect of temperature and speed of injection on, 15:6, 15:208
- duration of action of, low molecular weight dextran and, 3(2):6
- effect of, at nucleus tractus solitarius, 15:76
- epidural
- and somatosensory evoked potentials, 14:72
 - anesthesia with chloroprocaine and, postcesarean section narcotic requirements following, 5(4):15
 - continuous postoperative tachyphylaxis during, 13:117
 - volume and concentration of, and regression of analgesia, 13:122
 - in thoracic surgery, 14:183
- obstetric
- and diluent fentanyl, 14:279
 - epinephrine with, 14:219
 - morphine vs. butorphanol augmentation of, 14:115
 - postpartum recovery and, 6:13
 - thoracic, effect of on somatosensory evoked potentials, 15:73
 - with sufentanil, for labor analgesia, 12:165
- feline convulsions due to, ventilation for blood gas changes in, 7:103
- for cesarean section, effect of epinephrine on epidural spread of, 13:91
- for epidural block sacralization, during labor, 15:275
- for obstetric anesthesia
- differential cold and sympathetic blockade with, 13:162
 - plasma concentrations of, and maternal position, 13:157
- for spinal anesthesia, 13:165
- oral and subarachnoid clonidine effects on, 15:211
 - spread of, with Trendelenburg position, 13:34
 - with and without epinephrine, 13:135
- frostbite and, 7:128
- glucose-free
- in spinal anesthesia, effects of dose, volume, and concentration in, 11:98
 - isobaricity vs. hypobaricity of, 14:195
 - vs. hyperbaric, analgesic and cardiovascular effects of, 11:151
- high spinal anesthesia with, following obstetric epidural block technique, 4(4):21
- hyperbaric
- vs. hyperbaric lidocaine, in spinal anesthesia, 11:176
 - with epinephrine, in infants, 15:86
- inadvertent injection of, retrobulbar block and, 6:23
- in spinal anesthesia
- and hypotension, 11:139
 - in major hip surgery, 11:83
 - vs. lidocaine, 11:68, 11:176
- interpleural
- for thoracic post-herpetic neuralgia, 15:113
 - post-cholecystectomy, 15:26
 - volume of, 15:67
- intrapleural, for multiple rib fractures, 12:10
- intrathecal
- vs. tetracaine, 9:183
 - with and without epinephrine, cardiovascular effects of, in total spinal anesthesia, in dog, 9:22
 - without glucose, vs. hyperbaric tetracaine, 9:1
- intravenous, during nitrous oxide-halothane anesthesia, hemodynamic effects of, 13:83
- intraventricular conduction disorders and, drug interactions and, 15:180
- isobaric, vs. hyperbaric lidocaine, in spinal anesthesia, 12:122
- lidocaine
- and mepivacaine, hyperbaric, in spinal anesthesia, 9:175
 - vs., 6:95
 - optimal ratio of dextran and, for regional analgesia, 4(4):2
 - percutaneous ilioinguinal-iliohypogastric nerve block with, for post-herniorrhaphy analgesia, 15:130
- pH adjustment of
- and latency of epidural anesthesia, 14:236
 - schedule for, 14:229
- pleural permeability to, 14:128
- postoperative pain relief and, 7:135
- serum protein binding of, sodium thiopental effect on, spinal
- anesthesia
- compared with etidocaine epidural anesthesia for orthopedic surgery in old and young patients, 10:62
 - factors influencing, 7:20 9:171
 - distribution of, temperature effects on, 13:25
 - ganglion vulnerability and, 7:7

- hyperbaric, and barbotage, 14:26
warming of, and duration of anesthesia, 14:199
spread of, reproducibility of, 15:12
subarachnoid
distribution of, speed of injection and, 15:208
hyperbaric, vs. tetracaine-procaine, for cesarean delivery, 15:81
supraconvulsant doses of benzodiazepines for, 6:51
via intrapleural catheter, for postoperative pain, 11:89
volume of, in sacral nerve block, 15:125
vs. lidocaine, in spinal anesthesia, 11:68, 11:176
vs. prilocaine, in intravenous regional anesthesia, 11:102
vs. ropivacaine, for epidural anesthesia, 15:204, 15:250
vs. tetracaine, for spinal anesthesia, 9:62
with and without butorphanol, for epidural anesthesia in labor, 15:300
with epinephrine, alkalinized, for brachial plexus block, 10:59
Bupivacaine-fentanyl, epidural, vs. lidocaine, for lithotripsy, 13:72
Buprenorphine
vs. lidocaine, antinociceptive effects of, 14:138
vs. morphine, for postoperative brachial plexus block, 14:274
Butamben, epidural and subarachnoid injection of, 15:142
Butazolidine, topical, mucous membranes and, 6:47
Butorphanol, with bupivacaine
in epidural anesthesia during labor, 15:300
in labor and delivery, 14:115, 14:219
Butyl-amino benzoate suspension, epidural, for cancer pain, 12:1
- Caesarean sections, intervillous blood flow in, effect of anesthetic method on, 2(4):2
Calcium channel blockers, bupivacaine and, 15:180
Cancer
far-advanced, relief of pain in, 5(3):2
nonpancreatic intra-abdominal, neurolytic celiac plexus block in, 14:63
pain
epidural butyl-amino-benzoate suspension for, 12:1
in upper extremity, phenol brachial plexus block for, 13:58
neurolytic block, narcotics and psychoactive drugs and, 6:152
outpatient control for, sufentanil for, 14:293
Cannulation
axillary sheath, with spinal needle-catheter combination, for continuous brachial plexus anesthesia, 12:139
of small veins, 8:133
Capsaicin, somesthetic and electrophysiologic effects of, 15:61
Cardiac arrhythmias
bupivacaine-induced
amiodarone or bretylium for, 15:174
drug interactions and, 15:180
in dogs, 11:20
plasma cation concentrations and, in normokalemic cats, 8:104
during epidural analgesia for cesarean section, in gestational diabetic, 11:147
Cardiac conduction
and contractility, regional anesthesia and, 6:55
disorders, bupivacaine-induced, drug interactions and, 15:180
Cardiac effects. *See also* Cardiovascular effects
local anesthetics, 7:149
of lidocaine-epinephrine intravascular injection, 15:31
stellate ganglion blockade, 7:157
Cardiac pacemaker. *See also* Pacemaker
insertion, regional anesthesia for, 14:81
Cardiopulmonary bypass, lidocaine and, 7:S34
Cardiotoxicity, of local anesthetics, 14:58
Cardiovascular
depression, bupivacaine, nifedipine enhancement of, 14:19
effects
anesthesia and surgery, 7:S1
epidural anesthesia and, 6:23
epidural epinephrine and, pregnant sheep and, 6:4
lumbar epidural and spinal anesthesia and, 7:S21
of bupivacaine, with and without epinephrine, 15:137
of convulsant doses of lidocaine and bupivacaine, in conscious dog, 10:175
of dihydroergotamine, in high epidural analgesia and mild acute hypovolemia, 5(4):11
of spinal blockade, in patients treated with propranolol, 8:61
system
depression, bladder distension and, during recovery from epidural anesthesia, 10:183
pregnancy and, 6:28
toxicity, acute, procaine, chlorprocaine, and tetracaine in anesthetized ventilated dogs and, 7:14
Case reports
cervical epidural block in Raynaud's disease, 3(3):9
disruption of colonic anastomosis associated with epidural anesthesia, 5(1):22
high spinal anesthesia with bupivacaine following obstetric epidural block technique, 4(4):21
multiple spinal anesthetics in single patient, 2(3):4
Catecholamine levels
anesthesia and, surgical stress and, 7:S49
fetal plasma, effect of epidural analgesia during labor on, 10:170
surgery and, 7:S61
Catheter
axillary, for treatment of accidental intra-arterial injections, continuous brachial plexus blockade using, 10:187
epidural
for celiac plexus blockade, 15:103
intravascular placement of, epinephrine marker for, 15:147
obstruction of, 7:164
short-term use of, infection in, 14:88
for intrapleural anesthesia, in multiple rib fractures, 12:10
intrapleural, in postoperative pain management, 11:89
placement, thoracic epidural, under fluoroscopic control in obese patients, 5(4):19
Catheter-spinal needle combination, in axillary sheath cannulation, for continuous brachial plexus anesthesia, 12:139
Cauda equina syndrome, and chlorprocaine, 9:124, 10:28
Caudal block, continuous, in infant with arthrogryposis multiplex congenita, 12:18
Causalgia, prazosin in, 6:79
Cefoxitin, regional blood flow changes and, 7:S24
Celiac plexus
block
in nonpancreatic intra-abdominal cancer, 14:63
neurolytic, 6:152
Ischia's transaortic method of, case report of potentially fatal complications associated with, 10:193
spinal cord ischemia and, 7:66
blockade, teflon epidural catheter placement for, 15:103
Centennial Meeting of Regional Anesthesia, Vienna, Austria, 10:23
Central nervous system
epidural anesthesia and, 6:23
local anesthetic toxicity of, effect of age on, in mice, 8:57
toxic reactions of, 6:38
toxicity, bupivacaine, and age, 14:288
Cephalgia, spinal anesthesia and, 7:66
Cerebrospinal
blood flow autoregulation, and spinal anesthesia, in goats, 12:148
fluid pressure oscillations, and spinal anesthesia, in goats, 12:154
Cervical
epidural
anesthesia, and blood loss, in radical mastectomy, 11:171
block, in Raynaud's disease, 3(3):9
steroid
injection, for cervical pain, 11:92
nerve blocks, complications of, 14:149
facet syndrome, arthrography, 10:7
pain, myofascial, transcutaneous electrical nerve stimulation in, 8:99
plexus block, cardiac pacemaker for, 5(1):20
Cervicothoracic ganglion block, for upper-extremity reflex sympathetic dystrophy, 10:125
Cesarean
delivery
anesthesia for, in herpes simplex virus type-2 infections, 15:261
subarachnoid hyperbaric bupivacaine vs. tetracaine-procaine for, 15:81
venous air embolism during, 15:170

- section. *See also* Obstetric anesthesia
anesthesia for. *See* Obstetric anesthesia
delivery of quadruplets, epidural anesthesia in, 7:69
epidural
 anesthesia for, effect of epinephrine on bupivacaine spread in, 13:91
 anesthesia in, 0.5% vs. 0.75% bupivacaine for, 11:80
 mepivacaine for, 12:76
euglycemic hydration in, with Ringer's lactate, 12:184
fentanyl analgesia after, effect of local anesthetics on, 13:141
postoperative analgesia after, epidural hydromorphone for, 11:118
regional anesthesia in, with pseudotumor cerebri, 11:182
spinal
 anesthesia for, tetracaine vs. tetracaine plus procaine for, 9:195
 anesthesia in, maternal hypotension in, and neonatal outcome, 12:191
 venous air embolism in, Doppler and oximetric monitoring for, 14:145
Chest
 pain, after epidural steroid blocks, 9:98
 trauma, continuous epidural morphine for, 14:43
Child(ren). *See also* Infant; Neonate
 continuous epidural
 anesthesia in, 11:168
 morphine infusion in, 14:152
 pneumatic splint in, for limb exsanguination, 12:181
 intravenous regional anesthesia in, 8:69
 post-lumbar puncture headache in, 9:102, 9:154
 regional anesthesia in, 7:64
 thoracic surgery in, transcutaneous electrical nerve stimulation for, 8:163
Childbirth. *See also* Labor; Parturition
 epidural anesthesia and, 3(3):5
2-chloroprocaine
 new vs. old formulations of, maternal and neonatal effects of, 13:101
 subarachnoid, evaluation of, in rat, 12:5
China, microsurgical anesthesia in, 14:55
Chlormethiazole, regional blood flow changes and, 7:S24
Chloroprocaine
 alkalinized, effects of pCO₂ on, 15:89
 cardiac effects of, 7:149
 cardiovascular toxicity of, anesthetized ventilated dogs and, 7:14
 different concentrations of, intravenous regional anesthesia for lower limb operations and, 7:29
 epidural anesthesia with bupivacaine and, postcesarean section narcotic requirements following, 5(4):15
 epidural, neural complications of, 9:124
 for outpatient epidural anesthesia, 15:19
 neurologic complications with, obstetric epidural analgesia and, 7:119
 neurotoxicity of, 9:135
 prolonged neural blockade following caudal epidural block with, 10:28
 with sodium metabisulfite, and vascular reactivity, 14:271
Cholecystectomy, interpleural bupivacaine analgesia after, 15:26
Cholinesterases, normal and atypical human plasma, amide-type local anesthetics in vitro inhibitory effect on, 3(4):7
Chronic
 lung disease, regional anesthesia for patients with, 5(4):20
 pain, treatment of
 by continuous blockade of peripheral nervous system, 4(3):16
 psychological aspects of, 5(3):16
 renal failure, spinal anesthesia in, paraplegia after, 14:155
Clinical
 considerations, in action of alcohol on living nerve, 1(1):2
 experiences, of epidural anesthesia for total hip replacement, 4(2):8
Clonidine, oral and subarachnoid, effects of on bupivacaine spinal anesthesia, 15:211
Coagulopathy, obstetric analgesia in, 14:95
Cocaine
 cardiac effects of, 7:149
 introduction of, into anesthesia, by Carl Koller, 9:161
Cold and sympathetic blockade, during bupivacaine epidural obstetric anesthesia, 13:162
Colonic anastomosis, associated with epidural anesthesia, disruption of, 5(1):22
Comments, 4(3):2
 Morpheus without dreams, 5(2):2
 obstetric analgesia, 3(3):2
 pain and suffering, 5(3):2
Complete sympathetic blockade, temperature increase after, 11:27
Complications
 of intravenous regional anesthesia, 4(1):14
 of upper extremity surgery, 5(1):6
Conduction block, hypo-osmotic, mechanism of, 5(4):7
Consciousness, altered, brachial plexus block and, 6:146
Continuous
 axillary block, for postoperative pain, 13:77
 blockade, of peripheral nervous system, in treatment of chronic pain, 4(3):16
 epidural
 analgesia, volumetric infusion pumps for, 4(1):3
 infusion, for obstetrical analgesia, 5(1):19
 lumbar epidural analgesia, for labor, skin temperature changes during, 4(4):4
 techniques, effects of, on duration of spinal anesthesia, 3(1):3
Convalescence, postoperative fatigue and, 7:S144
Convulsions. *See also* Seizures
 bupivacaine-induced
 arrhythmias and, 6:99
 in conscious dog, cardiovascular effects of, 10:175
 in general anesthesia, 9:207
 lidocaine-induced, in conscious dog, cardiovascular effects of, 10:175
 local-anesthetic-induced, feline, ventilation for prevention of, blood gas changes in, 7:103
 supraconvulsant doses and anesthetics and, benzodiazepines in, 6:51
Coronary hemodynamic effects of general anesthesia and surgery 7:S8
Cortical vein thrombosis, mimicking postdural puncture headache, 12:188
Cortisol
 postoperative, after bupivacaine and sufentanil epidural analgesia, 14:183
 response to surgery, thoracic epidural analgesia in, 7:107
CRNAs
 education for, 8:54
 regional anesthesia performed by (editorial), 8:53
Cryogenic neurolysis, percutaneous, articular nerve of Luschka and, 6:18

Degenerative lesions, in rat sciatic nerve, after local injections of methyl-prednisolone in sterile aqueous suspension, 5(1):13
Density, anesthetic, and temperature, in spinal anesthesia, 13:25
Dextran
 in prolonging regional anesthesia, mechanism of action, 5(2):3
 local anesthetic adjuvant, 6:108
 low molecular weight, duration of action of bupivacaine and, 3(2):6
 optimal ratio of bupivacaine and, for regional analgesia, 4(4):2
Dextran 40, epidural injection of, for post-lumbar puncture headache, 14:78
Dezocine lactate, chronic spinal, toxicity of, 15:94
Diarrhea, associated with Ischia's transaortic method of celiac plexus block, 10:193
Diazepam
 and bupivacaine, cardiac and hemodynamic effects of, 14:298
 interaction of epidurally administered local anesthetic agents and, 5(2):8
 supraconvulsant doses of anesthetics and, 6:51
Dihydroergotamine
 cardiovascular effects of, in high epidural analgesia and mild acute hypovolemia, 5(4):11
 hemodynamic effects of, in combined epidural and general anesthesia, 13:15
Disc herniation, after epidural obstetric analgesia, 14:256
Distillate, pitcher plant, effect on frog sciatic nerve, 5(1):16
Doppler
 flowmetry, laser, for skin blood flow after axillary brachial plexus block, 9:68
 monitoring, for venous air embolism, in cesarean delivery, 14:145
Dorsal
 penile nerve block, complications of, 15:309
 root ganglion, vulnerability of, bupivacaine, etidocaine, and lidocaine in, 7:7
Dose, influence of, on subarachnoid block, 2(3):2
Droperidol, ischemic heart disease and, 7:S8
Drugs, anesthetic, effects on duration of spinal anesthesia, 3(1):3

- Dural puncture**
 during continuous epidural analgesia detection of by thiopental or test strips, 13:169
 headache after, 14:101, 6:104
 cortical vein thrombosis mimicking, 12:188
 epidural blood patch for, 14:247
 epidural anesthesia 2 hours after, 13:13
 unintentional, continuous spinal anesthesia after, in parturients, 15:285
- Edinburgh, three men of (Historical notes), 8:1**
Editorial, passing the torch, 7:93
Education, resident, and use of regional anesthesia in practice, 11:2
Elderly
 lidocaine pharmacokinetics in, during lumbar peridural anesthesia, 11:123
 spinal anesthesia in, and oxygenation of peripheral tissues, 11:7
Electrical impedance, in identification of epidural space, 12:169
Electrocardiographic changes in stellate ganglion blockade, 7:157
Embolism, venous air
 during cesarean delivery, 15:170
 in cesarean delivery, Doppler and oximetric monitoring for, 14:145
EMLA topical anesthetic, 15:109
Emphysema, subcutaneous, loss-of-resistance identification of epidural space and, 7:44
Endocrine-metabolic response to surgery, general and regional anesthesia and, 7:538
Endotracheal tube
 cuff, lidocaine diffusion across, 15:37
 design, topical lidocaine and, 6:74
 lidocaine lubrication of, lidocaine plasma concentrations after, 9:200
Enflurane, ischemic heart disease and, 7:58
Ephedrine, as intravascular injection marker, in labor, 15:15
Epidermolysis bullosa, regional anesthesia in, 8:81
Epidural air injection, deliberate, radiography of, 14:180
Epidural analgesia
 bupivacaine
 and somatosensory evoked potentials, 14:72
 epinephrine and fentanyl with, 14:189
 regression of, effects of drug volume and concentration on, 13:122
 thoracic, effect of on somatosensory evoked potentials, 15:73
 with sufentanil or nicomorphine, after thoracic surgery, 14:212
 butyl-amino-benzoate suspension, for cancer pain, 12:1
 continuous, volumetric infusion pumps for, 4(1):3
 continuous lumbar, for labor, skin temperature changes during, 4(4):4
 dural puncture during, detection of by thiopental or test strips, 13:169
 for cesarean section in gestational diabetic, and acute atrial tachyarrhythmias, 11:147
 high, mild acute hypovolemia and, cardiovascular effects of dihydroergotamine in, 5(4):11
 ischemic heart disease and, 7:58
 lumbar, in baboon, 3(4):3
 morphine, continuous
 in children, 14:152
 in multiple rib fractures, 14:43
 obstetric
 and spinal cord compression, 14:256
 bupivacaine, and diluent fentanyl, 14:279
 continuous, rate of infusion in, 14:31
 effect on fetal plasma catecholamine release, 10:170
 in von Willebrand's disease, 14:95
 neurologic complications with, 7:119
 sufentanil for, 14:225
 post-cesarean fentanyl, effect of local anesthetic on, 13:141
 sufentanil
 and bupivacaine for, in labor, 12:165
 and bupivacaine, in thoracic surgery, 14:183
 for outpatient cancer pain control, 14:293
 thoracic
 glucose, cortisol, insulin, and glucagon responses to surgery and, 7:107
 spread of, 9:78
- Epidural anesthesia. See also Spinal anesthesia**
 after aspirin, and bleeding time, 9:86
 alkalinized chloroprocaine for, pCO₂ effects on, 15:89
 and gastrointestinal motility, 14:35
 bilateral Horner's syndrome and hoarseness after, 14:10
 bladder distension and cardiovascular depression during recovery from, 10:184
 bupivacaine
 continuous postoperative, tachyphylaxis during, 13:117
 pH adjustment of
 and latency, 14:236
 for cesarean section, 14:240
 vs. ropivacaine for, 15:250
 cervical, and blood loss, in radical mastectomy, 11:171
 cesarean delivery of quadruplets and, 7:69
 childbirth and, 3(3):5
 chloroprocaine, neural complications of, 9:124
 colonic anastomosis associated with, disruption of, 5(1):22
 continuous
 effect on catheter complications, 10:21
 in children, 11:168
 double blind comparison of etidocaine 1.5% with and without epinephrine, 10:165
 effect of, on intervillous blood flow in caesarean sections, 2(4):2
 for lithotripsy
 fentanyl for, 13:40
 lidocaine vs. bupivacaine-fentanyl for, 13:72
 successive failures of, 13:131
 for repeat extracorporeal shock wave lithotripsy, 15:199
 for total hip replacement, 4(2):8
 high thoracic, with sufentanil, for post-thoracotomy pain, 13:62
 hydrochloride vs. carbonated lidocaine for, 11:62
 hypotensive, for total hip replacement, hemodynamic response to low-dose epinephrine in, 15:295
 in HELLP syndrome, in preeclampsia, 13:20
 lidocaine
 predictability of spread of, 14:133
 shivering after, 14:13
 lumbar
 cardiovascular effects of, 7:521
 in total hip replacement, and prevention of thromboembolism, 11:72
 maternal position in, and plasma bupivacaine concentrations, 13:157
 mepivacaine
 for, neonatal neurobehavioral effects of, 11:143
 in cesarean section, 12:76
 pH-adjusted, 14:121
 monocyte and lymphocyte functions during and after surgery and, 7:575
 morphine
 analgesic action of, 9:55
 in abdominal aortic surgery, pharmacokinetics of, 14:107
 side effects
 preservation of analgesia during use of intramuscular naloxone to reverse, 10:16
 respiratory, 9:55
 narcotics vs. lidocaine for, for extracorporeal shock wave lithotripsy, 15:288
 obstetric
 after spinal surgery, 15:280
 bupivacaine
 for, differential cold and sympathetic blockade with, 13:162
 morphine vs. butorphanol augmentation of, 14:115
 pH adjustment of, 14:240
 sacralization of, 15:275
 bupivacaine/butorphanol vs. butorphanol alone for, 15:300
 continuous mini-infusion of bupivacaine, 10:139
 distance from skin to lumbar epidural space in, 15:134
 effect of epinephrine
 addition to morphine in, 10:129
 on bupivacaine spread in, 13:91
 epinephrine test dose in, 15:15
 epinephrine test dose in, during acute fetal stress and acidosis, 15:237
 for cesarean section, euglycemic hydration in, with Ringer's lactate, 12:184

- Guillain-Barré syndrome after, 14:251
in cesarean section, 0.5% vs. 0.75% bupivacaine for, 11:80
in myotonia dystrophica, 15:41
in trial of labor, 15:304
- outpatient, chloroprocaine and lidocaine for, 15:19
photoplethysmography and, 8:114
prolonged, ischemic neuropathy presenting as, 15:264
rapid-onset, bupivacaine for, 12:135
repositioning in, seizure during, 9:28
- ropivacaine
in urologic surgery, 15:53
vs. bupivacaine, 15:204
- shivering after, 9:83
sufentanil, 14:282
temperature changes and shivering after, 14:48
2-chloroprocaine for, new vs. old formulations of, 13:101
two hours after epidural blood patch, 13:13
vs. general anesthesia, effect of perioperative kidney function, 9:165
with bupivacaine and chloroprocaine, postcesarean section narcotic requirements following, 5(4):15
with general anesthesia, dihydroergotamine in, hemodynamic effects of, 13:15
- Epidural anesthetics, spread of, factors in (editorial), 13:47
- Epidural block
acute pancreatitis and, 6:8
caudal, with 2-chloroprocaine, prolonged neural blockade following, 10:28
complications with, 6:104
continuous, silastic epidural conduit in, 6:112
epinephrine in, 6:4
lidocaine in, postpartum recovery and, 6:13
lumbar, high vs. low flow rates in, 9:8
physiology of pregnancy and, 6:28
postoperative pain relief and, 7:135, 8:135
postpartum recovery and, 6:13
steroid, partial blindness and chest pain after, 9:98
technique, obstetric, high spinal anesthesia with bupivacaine following, 4(4):21
test dose prior to, 6:23
thromboembolism and, 7:S84
unilateral analgesia after, 6:117
- Epidural blood patch
epidural anesthesia 2 hours after, 13:13
for post-dural headache, 14:247
for post-lumbar puncture headache
delayed response to, 9:211
in child, 9:102, 154
temporary relief with, 10:191
for postmyelogram headache, 2(1):4
prophylactic, 4(4):17
subarachnoid pressure with, 4(3):3
- Epidural catheter
intravascular placement of, epinephrine marker for, 15:147
obstruction, 7:164
placement, thoracic, under fluoroscopic control in obese patients, 5(4):19
short-term use of, and infection risk, 14:88
teflon, for celiac plexus blockade, 15:103
- Epidural hydromorphone, for post-cesarean section analgesia, 11:118
- Epidural infusion
continuous, for obstetrical analgesia, 5(1):19
for obstetric analgesia, 8:10
- Epidural injection, of Dextran 40, for post-lumbar puncture headache, 14:78
- Epidural meperidine, for phantom limb pain, 7:39
- Epidural narcotics, postoperative pain and, 7:140
- Epidural needle placement, two-person technique for, 14:85
- Epidural space
anesthetic spread in, 13:47, 13:49
histopathologic changes in, during long-term morphine infusion, in guinea pig, 11:14
identification of
by tissue electrical impedance, 12:169
simple test to confirm, 8:158
new routine for identification of, 2(1):5
- subcutaneous emphysema as result of loss-of-resistance identification of, 7:44
- Epidural space-to-skin distance, in obstetric population, 15:134
- Epidural steroid
injection
allergic or pseudoallergic reaction to, 14:253
cervical, for cervical pain, 11:92
nerve blocks, cervical, complications of, 14:149
using pain questionnaire to predict response to, 5(3):11
- Epiduroarachnoiditis, epidural infusion after, two-person technique for, 14:85
- Epinephrine
as epidural bupivacaine adjuvant, 14:189
as intravascular catheterization marker, 15:147
bupivacaine and, cardiovascular effects of, 15:137
cardiovascular effects of, pregnant sheep and, 6:4
double blind comparison of etidocaine 1.5% with and without, 10:165
effect of, on bupivacaine spread, in cesarean section, 13:91
epidural addition to morphine in obstetric analgesia, effect of, 10:129
in bupivacaine spinal anesthesia, 13:135
intrathecal bupivacaine with and without, cardiovascular effects of, in total spinal anesthesia in dog, 9:22
intravenous test dose of, during acute fetal stress and acidosis, 15:237
lidocaine and, serum levels of, in spinal anesthesia in dogs, 8:6
low-dose, during hypotensive epidural anesthesia for total hip replacement, hemodynamic response to, 15:295
subclavian perivascular, respiratory arrest after, 6:146
- Epinephrine-containing local anesthetics, in pregnancy, maternal hemodynamic responses to, 13:101, 13:107
- Equipment, effects of, on successful spinal anesthesia, 3(1):2
- Ethylene oxide sterilization, of local anesthetics, 4(3):2
- Etidocaine
accidental spinal anesthesia with, 10:145
aerosol
as topical anesthesia, 8:120
for laryngotracheal anesthesia, 9:188
analgesic properties of, vs. bupivacaine and lidocaine, in mice, 9:90
cardiac effects of, 6:55
- epidural
compared with bupivacaine spinal anesthesia for orthopedic surgery in old and young patients, 10:62
with and without epinephrine, 10:165
for IV regional anesthesia, comparison of lidocaine and, 5(4):17
motor block outlasting sensory block with, 9:146
pH adjustment schedule for, 14:229
spinal ganglion vulnerability and, 7:7
supraconvulsant doses of benzodiazepines for, 6:51
- Etylketocyclazocine, vs. lidocaine, antinociceptive effects of, 14:138
- Evoked potentials, somatosensory, and epidural bupivacaine, 14:72
- Experimental considerations, in action of alcohol on living nerve, 1(1):2
- Extracorporeal shock wave lithotripsy
epidural anesthesia for, successive failures of, 13:131
epidural fentanyl for, 13:40
epidural lidocaine
vs. bupivacaine-fentanyl for, 13:72
vs. epidural narcotics for, 15:288
repeat, epidural anesthesia for, 15:199
- Eye surgery, and post-retrobulbar apnea, 14:203
- Face and neck, reflex sympathetic dystrophy of, stellate ganglion block for, 12:15
- Facial blush, and facial pallor, after interscalene brachial plexus block, 9:203
- Fatigue, postoperative, 7:S144
- Fentanyl. *See* Bupivacaine-fentanyl
as epidural bupivacaine adjuvant, 14:189
dilution of, in bupivacaine epidural obstetric analgesia, 14:279
- epidural
for extracorporeal shock wave lithotripsy, 13:40
for post-cesarean analgesia, effect of local anesthetic on, 13:141
ischemic heart disease and, 7:S8
vs. lidocaine, antinociceptive effects of, 14:138
- Fetal stress and acidosis, epinephrine intravenous test dose during, 15:237

- Fetus**
 effects of anesthesia on, 9:119
 epidural epinephrine and, 6:4
 heart rate of, monitoring of obstetric anesthesia and, 3(3):2
 plasma catecholamine release in, effect of epidural analgesia during labor on, 10:169
 resuscitation of, neurobehavioral effects of, regional anesthesia and, 6:136
 safety of, obstetric anesthesiology and, 6:159
 Finland, regional anesthesia for surgery in, 8:144
 Flail chest, continuous epidural morphine for, 14:43
 Flowmetry, laser Doppler, for skin blood flow after axillary brachial plexus block, 9:68
 Fluid loading, microwave oven fluid warming for, 13:112
 Forearm, pneumatic splint for, for exsanguination, in children, 12:181
Fractures
 forearm, closed reduction of, pneumatic splint for, 12:181
 multiple rib, intrapleural anesthesia for, 12:10
 rib, continuous epidural morphine for, 14:43
 Frog sciatic nerve, effect of pitcher plant distillate on, 5(1):16
 Frostbite, sympathetic blockade, 7:128
- Gasserian block, multiple-trauma patient and, 6:26
 Gaston Labat award, acceptance address, 3(2):2
Gastrointestinal
 function after surgery, 7:S105
 motility, and epidural and spinal anesthesia, 14:35
General anesthesia
 bupivacaine-induced convulsions in, 9:207
 controlled ventilation in, thromboembolism and, 7:S84
 coronary hemodynamic effects of, 7:S8
 effect of, on intervillous blood flow in caesarean sections, 2(4):2
 endocrine-metabolic response to surgery and, 7:S38
 for transurethral resection of prostate, comparison of spinal and, 4(4):8
 monocyte and lymphocyte functions during and after surgery and, 7:S74
 regional vs., 7:S163
 tourniquet-induced hypertension in
 and lumbar sympathetic blockade, 13:152
 vs. regional anesthesia, 12:174
 vs. epidural anesthesia, in HELLP syndrome, in preeclampsia, 13:20
 vs. spinal anesthesia, in major hip surgery, 11:83
Geriatric patients
 postoperative pulmonary complications in, anesthetic technique in, 7:S122
 psychological alterations after anesthesia and surgery in, 7:S141
 Gestational diabetes, epidural analgesia during cesarean section in, and acute atrial tachyarrhythmias, 11:147
 Glossopharyngeal nerve block, ultrasound-guided, 14:304
 Glucagon response to surgery, thoracic epidural analgesia, 7:107
Glucose
 and glycolytic metabolite levels, blood and tissue, surgery and, 7:S57
 response to surgery, thoracic epidural analgesia in, 7:107
 Guillain-Barre syndrome, after obstetric epidural anesthesia, 14:251
 Guinea pig atria, chronotropic and inotropic effects of local anesthetic agents on, 7:149
- Halothane, ischemic heart disease, 7:S8
 Halothane-nitrous oxide anesthesia, intravenous lidocaine and bupivacaine during, hemodynamic effects of, 13:83
Headache
 and occipital neuralgia, 11:34
 following lumbar puncture, 2(3):4
 postdural puncture, 3(1):5, 6:104, 14:101
 cortical vein thrombosis mimicking, 12:188
 epidural blood patch for, 14:247
 epidural anesthesia 2 hours after, 13:13
 post-lumbar puncture
 and delayed response to epidural blood patch, 9:211
 epidural Dextran 40 for, 14:78
 in child, 9:102, 15:4
 temporary relief of, with epidural blood patch, 10:191
 postmyelogram, epidural blood patch for, 2(1):4
- postspinal
 and relationship of needle bevel to longitudinal dural fibers, 10:76
 postdural, obstetric complication, 7:131
Heart
 block, paroxysmal atrio-ventricular, during spinal anesthesia, 10:149
 rate, fetal, monitoring of, obstetric anesthesia and, 3(3):2
Height
 influence of, on subarachnoid block, 2(3):2
 sitting, influence of, on subarachnoid block, 2(3):2
Hematoma, subarachnoid, after spinal anesthesia, in chronic renal failure, 14:155
Hematuria, in lumbar paravertebral sympathetic block, 11:31
Hemodynamic effects
 coronary, in general anesthesia and surgery, 7:S8
 of bupivacaine, with and without epinephrine, 15:137
 of epinephrine test dose, during fetal stress and acidosis, 15:237
 of lidocaine-epinephrine intravascular injection, 15:31
 Hemodynamic measurements in anesthesia and surgery, 7:S1
 Hemolysis, elevated liver enzymes, and low platelet count (HELLP syndrome), in preeclampsia, general vs. epidural anesthesia in, 13:20
 Heparin, for prophylaxis of thromboembolism, 1(1):4
Herniorrhaphy
 inguinal, intrathecal morphine for, 6:1
 postoperative analgesia for, preoperative percutaneous ilioinguinal-iliohypogastric nerve block for, 15:130
Herpes
 simplex virus type-2 infection, anesthesia for cesarean delivery in, 15:261
 zoster
 post-herpetic neuralgia in, interpleural bupivacaine for, 15:113
 thoracic, pleural analgesia for, 14:244
High epidural analgesia, mild acute hypovolemia and, cardiovascular effects of dihydroergotamine in, 5(4):11
High spinal anesthesia, with bupivacaine, following obstetric epidural block technique, 4(4):21
Hip
 replacement
 epidural anesthesia for, 4(2):8
 hypotensive epidural anesthesia for, hemodynamic response to low-dose epinephrine in, 15:295
 thromboembolism in, lumbar epidural anesthesia for prophylaxis for, 11:72
 surgery
 major, postoperative pain relief with intrathecal morphine for, 8:139
 spinal vs. general anesthesia for, 11:83
 Historical considerations, in regional anesthesia for upper extremity surgery, 5(1):2
 Hoarseness, and Horner's syndrome, after lumbar epidural anesthesia, 14:10
 Horner's syndrome, and hoarseness, after lumbar epidural anesthesia, 14:10
 Hospitalization time, anesthesia and, 7:S151
 Hydration, euglycemic, with Ringer's lactate, in cesarean section, 12:184
 Hydromorphone, epidural, for post-cesarean section pain, 11:118
Hypertension
 benign intracranial, cesarean section in, regional anesthesia for, 11:182
 bupivacaine spinal anesthesia in, cardiovascular response to, 14:66
 pregnancy-induced. *See* Preeclampsia
 tourniquet-induced
 during general anesthesia, and lumbar sympathetic blockade, 13:152
 in general vs. regional anesthesia, 12:174
Hyperthermia, after complete sympathetic blockade, 11:27
 Hyperventilation, acute, during spinal anesthesia, 10:88
 Hypo-osmotic conduction block, mechanism of, 5(4):7
 Hypocapnia, produced by acute hyperventilation during spinal anesthesia, 10:88
Hypotension
 causes, significance, and treatments of, 3(1):4
 from intraoperative intercostal nerve blocks, 4(3):17
 in spinal anesthesia, with tetracaine vs. bupivacaine, 11:139
 maternal, during spinal anesthesia for cesarean section, and neonatal outcome, 12:191
 postoperative, bladder distension and, during recovery from epidural anesthesia, 10:184
 spinal anesthesia and, 7:20

- subarachnoid block-induced, mephentermine resistant, in patient receiving metoprolol, 8:171
- Hypovolemia, mild acute, high epidural analgesia and, cardiovascular effects of dihydroergotamine in, 5(4):11
- Hypoxemia, in spinal anesthesia, pulse oximetry monitoring of oxygen saturation for, 12:63
- Hysterectomy, vaginal epidural morphine for, 9:55
- Ilioinguinal-iliohypogastric nerve block, for post-herniorrhaphy analgesia, 15:130
- Immunocompetence, anesthesia and surgery effect on, 7:S68
- Implantable infusion system, for continuous intraspinal narcotic analgesia, 7:110
- Infant outcome, effect of medication during labor and, 4(4):20
- Infant, arthrogryposis multiplex congenita in, continuous caudal block in, 12:18
- Infection
and short-term epidural catheterization, 14:88
postoperative, 7:S68
- Infusion, continuous epidural, for obstetrical analgesia, 5(1):19
- Infusion pump, volumetric, for continuous epidural analgesia, 4(1):3
- Injections, local, of methylprednisolone in sterile aqueous suspension, degenerative lesions in rat sciatic nerve after, 5(1):13
- Injury response, and acute pain (Bonica Lecture), 14:162
- Insulin response to surgery, thoracic epidural analgesia in, 7:107
- Intensive care units, 7:S175
- Interactions, of diazepam and epidurally administered local anesthetic agents, 5(2):8
- Intercostal nerve
blockade, for fractured ribs, and postoperative analgesia, 8:151
blocks, intraoperative, hypotension from, 4(3):17
- Interpleural
analgesia, bilateral, with bupivacaine, 14:93
bupivacaine
for post-cholecystectomy analgesia, 15:26
for thoracic post-herpetic neuralgia, 15:113
volume of, 15:67
- Interscalene
block, 6:133
brachial plexus block
lidocaine hydrocarbonate vs. lidocaine hydrochloride for, 15:194
modified Seldinger technique for, 6:82
nerve block, onset of, and mepivacaine alkalization, 15:242
- Intervertebral disc herniation, after epidural obstetric analgesia, 14:256
- Intervillous blood flow, in caesarean sections, effect of anesthetic method on, 2(4):2
- Intracranial hypertension, benign, cesarean section in, regional anesthesia for, 11:182
- Intraoperative intercostal nerve blocks, hypotension from, 4(3):17
- Intrapleural
anesthesia, for multiple rib fractures, 12:10
catheter, in postoperative pain management, 11:89
- Intrathecal block, baricity of tetracaine in, 6:129
- Intravascular
catheterization, epinephrine marker for, 15:147
injection
in labor, ephedrine marker for, 15:15
fetal effects of, 15:237
of lidocaine and epinephrine, hemodynamics and plasma potassium homeostasis with, 15:31
- Intravenous
fluids, warming of, in microwave oven, 13:112
lidocaine, alkalization of, 15:59
perfusion with reserpine, for Raynaud's phenomenon, 2(3):5
regional anesthesia. *See also* Regional anesthesia, intravenous
saline, morphine, lidocaine, or proline for, comparative study of, 15:186
regional guanethidine blockade, apnea after, 11:39
- Intraventricular conduction disorders, bupivacaine-induced, drug interactions and, 15:180
- Intubation, endotracheal, lidocaine lubrication for, lidocaine plasma concentrations after, 9:200
- Ischemia, spinal cord, celiac plexus block and, 7:66
- Ischemic
heart disease, epidural analgesia in, 7:S8
neuropathy, presenting as prolonged epidural anesthesia, 15:264
- Isoflurane, ischemic heart disease and, 7:S8
- Itching, generalized, intrathecal morphine for, 6:1
- Ketamine, intrathecal, analgesia with, 6:91
- Kidney function, epidural vs. general anesthesia effects on, 9:165
- Killian, Hans Franz Edmund (In Memoriam), 10:152
- Koller
Carl, introduction of cocaine by, 9:161
to Labat: a historic resume, 5(4):3
- Labat
address
from Koller to Labat: a historic resume, 5(4):3
on spinal anaesthesia—experiences over 40 years, 4(2):3
lecture
nothing new under the sun, 7:95
reflections upon historical aspects of spinal anesthesia, 8:89
some foundations on which we have built, 10:99
the pathway across a half century of safe control of obstetric pain in childbirth, 6:62
Gaston, and future of regional anesthesia (Labat Lecture), 14:261
- Labor
and delivery. *See* Cesarean section; Obstetric analgesia; Obstetric anesthesia
- continuous lumbar epidural analgesia for, skin temperature changes during, 4(4):4
- continuous mini-infusion of bupivacaine into epidural space during, 10:139
- effect of medication during, infant outcome and, 4(4):20
- epidural analgesia during, effect on fetal plasma catecholamine release, 10:170
- stress response during, 7:S60
- Laminectomy, epidural infusion after, two-person technique for, 14:85
- Laparoscopy, tubal ligation under peritoneal lavage anesthesia, 10:24
- Large-bowel surgery, complications in, 7:S99
- Laryngotracheal anesthesia, aerosol etidocaine for, 9:188
- Laser Doppler flowmetry, for skin blood flow after axillary brachial plexus block, 9:68
- Lectures: epidural anesthesia and childbirth, 3(3):5
- Leg
intravenous regional anesthesia of, lidocaine vs. prilocaine for, 12:128
surgery of, tourniquet-induced hypertension in, with general vs. regional anesthesia, 12:174
- Legal issues. *See* Medicolegal controversies
- Lesions, degenerative, in rat sciatic nerve, after local injections of methylprednisolone in sterile aqueous suspension, 5(1):13
- Lidocaine
age-dependent pharmacokinetics of, during lumbar peridural anesthesia, 11:123
analgesic properties of, vs. bupivacaine and etidocaine, in mice, 9:90
and bupivacaine, consultant doses of, in conscious dog, cardiovascular effects of, 10:175
and locomotor activity, in mice, 11:95
and prilocaine, comparison of, 10:155
antithrombotic activity of, 7:S89
bupivacaine, and mepivacaine, hyperbaric, in spinal anesthesia, 9:175
bupivacaine vs., 6:95
carbonated, vs. lidocaine hydrochloride, for epidural anesthesia, 11:62
cardiac effects of, 6:55, 7:149
cardiopulmonary bypass and, 7:S34
cardiotoxicity of, 14:58
comparison
of etidocaine and, for IV regional anesthesia, 5(4):17
with lidocaine plus reserpine for intravenous regional anesthesia in volunteers, 10:160
diffusion of across endotracheal tube cuff, 15:37
epidural

- obstetric, predictability of and spread of, 14:133
shivering after, 14:13
vs. bupivacaine-fentanyl, for lithotripsy, 13:72
- epidural block with
pancreatitis and, 6:8
postpartum recovery and, 6:13
- epinephrine and, intravascular injection of, hemodynamics and plasma potassium homeostasis in, 15:31
- feline convulsions due to, ventilation for blood gas changes in, 7:103
for intravenous regional anesthesia, comparative study of, 15:186
for outpatient epidural anesthesia, 15:19
- hydrocarbonate, versus lidocaine hydrochloride, in interscalene brachial plexus block, 15:194
- hyperbaric
vs. hyperbaric bupivacaine, in spinal anesthesia, 11:176
vs. isobaric bupivacaine, in spinal anesthesia, 12:122
- hypotension and convulsions and, 6:99
- intravenous
alkalinization of, 15:59
during nitrous oxide-halothane anesthesia, hemodynamic effects of, 13:83
in management of various chronic pain states, 10:1
in vitro inhibition of neutrophils and, 7:S80
- jelly, for endotracheal tube lubrication, lidocaine plasma concentrations after, 9:200
- laparoscopic tubal ligation under peritoneal lavage anesthesia with, 10:24
- lung uptake of, in man, 5(2):6
- motor block outlasting sensory block with, 9:146
- ointment, for endotracheal tube lubrication, lidocaine plasma concentrations after, 9:200
- pH adjustment schedule for, 14:229
- plasma concentrations of, after endotracheal tube lubrication with lidocaine ointment and jelly, 9:200
- pleural permeability to, 14:128
- pudendal, postpartum recovery and, 6:13
- serum levels, in spinal anesthesia in dogs, 8:6
- spinal ganglion vulnerability and, 7:7
- subarachnoid, postpartum recovery and, 6:13
- subclavian perivascular respiratory arrest after, 6:146
- supraconvulsant doses of, benzodiazepines for, 6:51
- topical, tracheal cough reflex and, 6:74
- topically applied, racial differences in effectiveness of, 11:11
- transarterial, ineffectiveness of for subclavian perivascular block, 15:245
- 2% isobaric, in spinal anesthesia, with and without phenylephrine, 9:17
- via intrapleural catheter, for postoperative pain, 11:89
- vs. bupivacaine, for spinal anesthesia, 11:68
- vs. epidural narcotics, for extracorporeal shock wave lithotripsy, 15:288
- vs. opioids, antinociceptive effects of, 14:138
- vs. prilocaine, for intravenous regional anesthesia of entire leg, 12:128
- Lipids, 2(2):3
- Lithotripsy
epidural anesthesia for, successive failures of, 13:131
epidural fentanyl for, 13:40
epidural lidocaine vs. bupivacaine-fentanyl for, 13:72
extracorporeal shock wave
epidural lidocaine vs. epidural narcotics for, 15:288
repeat, epidural anesthesia for, 15:199
- Local amide-type analgesia, in vitro inhibitory effect of, on human plasma cholinesterases, 3(4):7
- Local anesthesia. *See also* Regional anesthesia
for occipital neuralgia, 11:34
intravenous, during nitrous oxide-halothane anesthesia, hemodynamic effects of, 13:83
via intrapleural catheter, for postoperative pain, 11:89
- Local anesthetics
biotransformation of, 2(2):7
blocking action of, effect of pH on, 11:132
density of, 3(2):4
epidurally administered, interaction of diazepam and, 5(2):8
epidural spread of, 13:47, 13:49
ethylene oxide sterilization of, 4(3):2
manufacture and storage of, 13:1
- mechanism of action of, 2(2):4
monoamine oxidase inhibition by, in spinal anesthesia, 11:160
new concepts of toxicity for, 4(3):6
pH adjustment of. *See* pH adjustment
physiologic disposition of, 2(2):6
symposium on, 2(2):4
topically applied, racial differences in effectiveness of, 11:11
toxicity of, 2(2):8
pH and, 5(4):10
unusual responses to, 3(4):2
- Local injections. *See* Injections, local
- Locomotor activity, and lidocaine, in mice, 11:95
- Lorazepam, supraconvulsant doses and anesthetics and, 6:51
- Loss-of-resistance identification of epidural space, subcutaneous emphysema as result of, 7:44
- Low molecular weight dextran, addition of, duration of action of bupivacaine and, 3(2):6
- Lower extremities, sensation of warmth in, as primary effect in spinal anesthesia, 2(4):5
- Lower limb surgery, different concentrations of intravenous chloroprocaine for, 7:29
- Lumbar epidural anesthesia. *See also* Epidural anesthesia
cardiovascular effects of, 7:S21
continuous, for labor, skin temperature changes during, 4(4):4
in baboon, 3(4):3
in total hip replacement, and prevention of thromboembolism, 11:72
- Lumbar pain, myofascial, transcutaneous electrical nerve stimulation in, 8:99
- Lumbar paravertebral block, intrathecal Sarapin following, 7:42
- Lumbar paravertebral sympathetic block, hematuria in, 11:31
- Lumbar peridural anesthesia, age-dependent lidocaine pharmacokinetics in, 11:123
- Lumbar puncture
headache after, epidural Dextran 40 for, 14:78
headache and air travel following, 2(3):4
headache following
and delayed response to epidural blood patch, 9:211
and relationship of needle bevel to longitudinal fibers, 10:76
in child, 9:102, 9:154
temporary relief of, with epidural blood patch, 10:191
- Lumbar sympathetic block, identification of anterior psoas sheath for, 15:253
- Lumbar sympathetic blockade, and tourniquet-induced hypertension, during general anesthesia, 13:152
- Lung(s)
chronic disease of, regional anesthesia for patients with, 5(4):20
uptake of lidocaine in man, 5(2):6
- Luschka, articular nerve of, percutaneous cryogenic neurolysis and, 6:18
- Lymphocyte functions during and after surgery, general and epidural anesthesia and, 7:S75
- Macintosh, Robert, biographical sketch of, 3(2):1
- Male, 101-year-old, spinal anesthesia for bladder tumor resection in, 8:127
- Man, lung uptake of lidocaine in, 5(2):6
- Manufacture, of local anesthetics, chronology of, 13:1
- Mass spectrometer, detection of disrupted oxygen administration by, 13:126
- Mastectomy, radical, blood loss in, in cervical epidural anesthesia, 11:171
- Maternal complications of regional anesthesia, 6:104
- Maternal safety in obstetric anesthesiology, 6:159
- Maturation, year of, 2(4):1
- Mechanism of action, for dextran prolonging regional anesthesia, 5(2):3
- Medication, during labor, infant outcome and, 4(4):20
- Medicolegal controversies, in regional anesthesia, mini-heparinization for prophylaxis of thromboembolism, 1(1):4
- Membranes, excitable, 2(2):3
- Meningitis, due to *S. viridans*, in differential spinal block, 8:85
- Meperidine
epidural, phantom limb pain and, 7:39
vs. lidocaine, antinociceptive effects of, 14:138
- Mephentermine, subarachnoid-block-induced hypotension resistant to, in patient receiving metoprolol, 8:171
- Mepivacaine

- alkalinization of, and onset of interscalene block for shoulder surgery, 15:242
- cardiac effects of, 6:55, 7:149
- compounding of with bupivacaine, 9:94
- epidural, in cesarean section, 12:76
- for outpatient epidural anesthesia, 15:19
- for penile block, in adult surgery, 12:172
- high-dose, in transarterial brachial plexus block, 12:159
- in epidural obstetric anesthesia, neonatal neurobehavioral effects of, 11:143
- lidocaine, and bupivacaine, hyperbaric, in spinal anesthesia, 9:175
- pH adjustment of, 14:121, 14:229
- plasma concentrations of, in psoas compartment/sciatic nerve block, 15:256
- serum levels of, in continuous axillary brachial plexus block, 14:124
- subarachnoid, postpartum recovery and, 6:13
- Metabolic acidosis, fetal, epinephrine intravenous test dose and, 15:237
- Methyl salicylate, topical, mucous membranes and, 6:47
- Methylprednisolone, local injections of, in sterile aqueous suspension, degenerative lesions in rat sciatic nerve after, 5(1):13
- Methysergide, intrathecal, 6:91
- Metoprolol, patient receiving, subarachnoid-block-induced hypotension in, mephentermine resistant, 8:171
- Microsurgical anesthesia, in China, 14:55
- Microwave ovens, for intravenous fluid warming, 13:112
- Mild acute hypovolemia. *See* Hypovolemia, mild acute
- Mini-heparinization, for prophylaxis of thromboembolism, medicolegal controversy of, 1(1):4
- Minimum anesthetic requirement, bupivacaine and, 6:95
- Modifications, of intravenous regional anesthesia, 4(1):13
- Monitoring fetal heart rate, obstetric anesthesia and, 3(3):2
- Monoamine oxidase inhibition, by local anesthetics, in spinal anesthesia, 11:160
- Monocyte functions during and after surgery, general and epidural anesthesia and, 7:S75
- Morphine
- continuous
 - in children, 14:152
 - in multiple rib fractures, 14:43
 - intraspinal, implantable infusion system for, 7:110
- epidural
- analgesic action of, 9:55
 - in abdominal aortic surgery, pharmacokinetics of, 14:107
 - in obstetric analgesia, effect of epinephrine addition to, 10:129
 - side effects
 - respiratory, 9:55
 - use of intramuscular naloxone to reverse while preserving analgesia, 10:16
- for intravenous regional anesthesia, comparative study of, 15:186
- intrathecal
- effect of postoperative naloxone on, 13:146
 - generalized itching with, 6:1
 - postoperative pain relief with, 6:1
 - after major hip surgery, 8:139
- intrathecally administered, analgesic effect of, 2(3):3
- long-term infusion of, histopathologic changes in epidural space during, in guinea pig, 11:14
- silastic continuous epidural conduit and, 6:112
- urinary retention with, 6:1
- vs. buprenorphine, for postoperative brachial plexus block, 14:274
- vs. lidocaine, antinociceptive effects of, 14:138
- with bupivacaine, in obstetric analgesia, 14:115
- Mortality studies, 7:S172
- Motor pathway blockade by bupivacaine, etidocaine, and lidocaine, 7:7
- Mucous membranes, topical antipyretic analgesics and, 6:47
- Multiple spinal anesthetics. *See* Anesthetics, spinal
- Music, during regional anesthesia, sedative effect of, 13:69
- Myocardial contractility, and local anesthetics, 14:58
- Myotonia dystrophica, obstetric anesthesia in, 15:41
- postoperative, effect of on intrathecal morphine analgesia, 13:146
- Narcotic requirements, in postcesarean section, following epidural anesthesia with bupivacaine and chloroprocaine, 5(4):15
- Narcotics. *See also* Morphine
- epidural
- postoperative pain and, 7:140
 - vs. lidocaine, for extracorporeal shock wave lithotripsy, 15:288
- neurolytic block and, 6:152
- silastic continuous epidural conduit and, 6:112
- vs. lidocaine, antinociceptive effects of, 14:138
- Needle
- side-port, for stellate ganglion blockade, 7:160
 - simple inexpensive assembly for peripheral nerve stimulation and neural blockade, 10:197
- Needles, special, for nerve blocks, 5(2):12
- Neonatal neurobehavioral effects, of mepivacaine, 11:143
- Neonate
- acidosis in, hypotension-induced/spinal anesthesia in cesarean section, 12:191
 - effects of epidural mepivacaine on, in cesarean section, 12:76
- Nerve block
- brachial plexus
 - continuous, axillary sheath cannulation with spinal needle-catheter combination for, 12:139
 - transarterial, with high-dose mepivacaine, 12:159
 - caudal, in infant with arthrogryposis multiplex congenita, 12:15
 - differential sensitivity of fast and slow fibers in mammalian nerve and effects of carbonation on local anesthetics, 10:68
 - epidural butyl-amino-benzoate suspension, for cancer pain, 12:1
 - examination prior to, 7:126
 - for postherpetic neuralgia, 11:165
 - penile, for adult surgery, 12:172
 - peripheral nerve stimulation and, simple inexpensive needle assembly for, 10:197
 - puddendal, in greater sciatic foramen, in transurethral surgery, 12:143
 - stellate ganglion, for reflex sympathetic dystrophy of face and neck, 12:15
 - suprascapular, for shoulder pain, 11:156
 - sympathetic. *See* Sympathetic blockade
 - triscapular, for periscapular myofascial pain syndromes, 12:70
- Nerve blocks
- intraoperative intercostal, hypotension from, 4(3):17
 - special needle for, 5(2):12
- Nerve fibers
- fast and slow, differential sensitivity of, 11:132
 - mammalian
 - fast and slow, differential sensitivity of, effect of carbonation of local anesthetics on, 10:68
 - myelinated and unmyelinated, differential tolerance to oxygen lack, 7:2
- Nerve stimulator, for peripheral blocks, 5(2):14
- Nerve(s)
- action of alcohol on, 1(1):2
 - articular of Luschka, percutaneous cryogenic neurolysis and, 6:18
 - frog, sciatic, effect of pitcher plant distillate on, 5(1):16
 - localization of, and peripheral nerve stimulators, 9:73
 - rat, sciatic, degenerative lesions in, after local injections of methylprednisolone in sterile aqueous suspension, 5(1):13
- Nervous system, peripheral, continuous blockade of, in treatment of chronic pain, 4(3):16
- Neuralgia
- occipital, 11:34
 - postherpetic, sensory and sympathetic nerve blocks for, 11:165
 - puddendal, alcohol block for, 6:120
 - thoracic post-herpetic, interpleural analgesia for, 15:113
- Neurobehavior effects of regional anesthesia, fetal resuscitation and, 6:136
- Neurolept anesthesia, 7:S19
- Neurologic complications with epidural analgesia in obstetrics, 7:119
- Neurolysis
- and subarachnoid phenol injection, development of segmental tonic-clonic activity following, 10:91
 - percutaneous cryogenic, articular nerve of Luschka and, 6:18

- Neurolytic**
block, cancer pain and, narcotics and psychoactive drugs in, 6:152
celiac plexus
block, in nonpancreatic intra-abdominal cancer, 14:63
blockade, teflon epidural catheter for, 15:103
- Neuropathy**
incidence of, following upper extremity nerve blocks, 10:12
ischemic, presenting as prolonged epidural anesthesia, 15:264
- Neurotoxicity**
bupivacaine, and age, 14:288
of chronic spinal dezocine lactate, 15:94
Neutrophil inhibition, lidocaine and, 7:580
Nicomorphine, with epidural bupivacaine, after thoracic surgery, 14:212
Nifedipine, and bupivacaine cardiovascular depression, 14:19
Nitrous oxide-halothane anesthesia, intravenous lidocaine and bupivacaine during, hemodynamic effects of, 13:83
Norway, regional anesthesia for surgery in, proportion of, 8:144
Notices, 4(4):19
Nucleus tractus solitarius, bupivacaine effects at, 15:76
Nutritional status, postoperative, 7:S138
- Obesity**
regional anesthesia and, 4(3):20
thoracic epidural catheter placement under fluoroscopic control in, 5(4):19
- Obstetric analgesia**
bupivacaine, and diluent fentanyl, 14:279
continuous epidural infusion for, 5(1):19
continuous, rate of infusion in, 14:31
epidural sufentanil and bupivacaine for, 12:165
in von Willebrand's disease, 14:95
post-cesarean, epidural fentanyl for, effect of local anesthetic on, 13:141
spinal cord compression after, 14:256
sufentanil in, 14:225
- Obstetric anesthesia**
continuous spinal, after unintentional dural puncture, 15:285
epidural
after spinal surgery, 15:280
block technique, high spinal anesthesia with bupivacaine following, 4(4):21
bupivacaine for, differential cold and sympathetic blockade with, 13:162
bupivacaine sacralization of, 15:275
bupivacaine/butorphanol vs. butorphanol alone for, 15:300
chloroprocaine for, new vs. old formulations of, 13:101
distance from skin to lumbar epidural space in, 15:134
effect of epinephrine on bupivacaine spread in, 13:91
ephedrine test dose in, 15:15
epinephrine test dose in, during acute fetal stress and acidosis, 15:237
for cesarean section, euglycemic hydration in, with Ringer's lactate, 12:184
in cesarean section, 0.5% vs. 0.75% bupivacaine for, 11:80
in gestational diabetic, and acute atrial tachyarrhythmias, 14:7
in myotonia dystrophica, 15:41
in trial of labor, 15:304
maternal position in, and plasma bupivacaine concentrations, 13:157
mepivacaine for
in cesarean section, 12:76
neonatal neurobehavioral effects of, 11:143
rapid-onset, bupivacaine for, 12:135
fetal heart rate monitoring and, 3(3):2
for cesarean delivery
in herpes simplex virus type-2 infections, 15:261
subarachnoid hyperbaric bupivacaine vs. tetracaine-procaine for, 15:81
venous air embolism in, 15:170
Guillain-Barré syndrome after, 14:251
in cesarean section, with pseudotumor cerebri, 11:182
lidocaine, predictability of spread of, 14:133
physician's reflections on 50-year career in, 15:232
postoperative, after cesarean section, epidural hydromorphone for, 11:118
principles and practice of, 4(2):14
spinal, for cesarean section, hypotension in, and neonatal outcome, 12:191
sufentanil, 14:282
temperature changes and shivering after, 14:48
with butorphanol and epinephrine, 14:219
morphine vs. butorphanol augmentation of, 14:115
pH adjustment of, 14:240
- Obstetrics. See also Labor; Maternal; Parturition**
analgesia in
continuous epidural infusion for, 8:10
effect of epinephrine addition to epidural morphine for, 10:129
and continuous mini-infusion of bupivacaine into epidural space, 10:139
anesthesiology triad in, mother-fetus-physician as, 6:159
chloroprocaine for, neural complications of, 9:124
epidural
anesthesia
shivering after, 9:83
with cesarean delivery of quadruplets, 7:69
catheter, obstruction in, 7:164
epinephrine in, cardiovascular system and, 6:4
neurologic complications with epidural analgesia and, 7:119
pain control in, 4(2):14
postpartum recovery and local anesthesia in, 6:13
post-spinal-block headache in, 7:131
regional anesthesia for, complications of, 8:17
tetracaine vs. tetracaine plus procaine for cesarean section, 9:195
vasopressors in, 8:74
- Occipital neuralgia, 11:34**
Ommaya Reservoir, spinal anesthesia via, 10:95
Ophthalmologic surgery, and post-retrobulbar apnea, 14:203
Opiates, parenteral, postoperative analgesia and, 7:144
Opioids vs. lidocaine, antinociceptive effects of, 14:138
Organ transplantation, kidney, regional anesthesia for, 4(3):13
Outpatient
epidural anesthesia, chloroprocaine and lidocaine for, 15:19
surgery
anesthesia and, 7:S156
regional anesthesia for, 4(4):6
- Oximetry, pulse, for venous air embolism, in cesarean delivery, 14:145**
Oxygen
administration, monitoring of, 13:126
lack of, differential tolerance of mammalian myelinated and unmyelinated nerve fibers to, 7:2
saturation, pulse oximetry continuous monitoring of, in spinal anesthesia, 12:63
- Pacemaker**
for cervical plexus block, 5(1):20
insertion, regional anesthesia for, 14:81
- Packaging, of local anesthetics, 13:1**
Pain center, anesthesiologists in, role of, 8:32
Pain control teaching, in anesthesia residencies, 8:154
Pain relief: fact or fancy? (Labat Lecture), 15:157
Pain
acute, and injury response (Bonica Lecture), 14:162
and pharmacokinetics, 10:110
cancer
epidural butyl-amino-benzoate suspension for, 12:1
in upper extremity, phenol brachial plexus block for, 13:58
neurolytic block, narcotics and psychoactive drugs and, 6:152
cervical
cervical epidural steroid injection for, 11:92
myofascial, transcutaneous electrical nerve stimulation in, 8:99
chest, after epidural steroid blocks, 9:98
chronic
intravenous lidocaine in management of, 10:1
treatment of
by continuous blockade of peripheral nervous system, 4(3):16
psychological aspects of, 5(3):16
control of, in obstetrics, 4(2):14
headache. *See Headache*

- in multiple rib fractures, intrapleural anesthesia for, 12:10
in reflex sympathetic dystrophy of face and neck, stellate ganglion block for, 12:15
management, of anesthesiologist's changing role in, 14:4
mechanisms of, 4(4):10
phantom limb
 epidural meperidine for, 7:39
 epidural narcotics for, 7:140
 parenteral opiates for, 7:144
phantom limb (Labat lecture), 14:208
postherpetic, sensory and sympathetic nerve blocks for, 11:165
postoperative. *See also* Postoperative pain
 after cesarean section, epidural
 fentanyl for, effect of local anesthetic on, 13:141
 hydromorphone for, 11:118
 after major hip surgery, intrathecal morphine in, 8:139
 continuous axillary block for, 13:77
 continuous epidural bupivacaine for
 tachyphylaxis during, 13:117
 volume and concentration of, and regression of analgesia, 13:122
 epidural block in, 7:135
 intrathecal morphine for, effect of naloxone on, 13:146
 local anesthesia via intrapleural catheter for, 11:89
 post-thoracotomy, high thoracic epidural with sufentanil for, 13:62
 relief of, 7:S110
 intrathecal morphine in, 6:1
 questionnaire, to predict response to steroid epidurals, 5(3):11
 relief of, in far-advanced cancer, 5(3):2
 shoulder, suprascapular nerve block for, 11:156
 suffering and, 5(3):2
 tourniquet, during spinal anesthesia, with hyperbaric vs. isobaric tetracaine, 13:29
Pallor, facial, and facial blush, after interscalene brachial plexus block, 9:203
Pancreatitis, acute, epidural block in, 6:8
Paracetamol, 7:S115
Paralysis, neurolytic block and, 6:152
Paraplegia, after spinal anesthesia, in chronic renal failure, 14:155
Parenteral opiates, postoperative, analgesia and, 7:144
Parturition
 in the nineteen-eighties, 6:67
 safe control of pain in, half century development of, 6:62
Patient positioning, during epidural obstetric anesthesia, and plasma bupivacaine concentrations, 13:157
pCO₂, effects of on alkalinized chloroprocaine, 15:89
Pediatric analgesia, continuous epidural morphine, 14:152
Pediatric patients. *See* Children
Penile block, for adult surgery, 12:172
Penile nerve block, complications of, 15:309
Percutaneous cryogenic block, articular nerve of Luschka and, 6:18
Peridural anesthesia, lumbar, age-dependent lidocaine pharmacokinetics in, 11:123
Peripheral
 blocks, nerve stimulator for, 5(2):14
 nerve
 stimulation and neural blockade, simple inexpensive needle assembly for, 10:197
 stimulators
 electrical characteristics of, 9:73
 for regional anesthesia, 10:49
 nervous system, continuous blockade of, treatment of chronic pain by, 4(3):16
Periscapular pain syndromes, triscapular nerve block for, 12:70
Peritoneal lavage anesthesia, laparoscopic tubal ligation under, 10:24
Perivascular technique, in regional anesthesia, for upper extremity surgery, 5(1):5
Phantom limb pain
 epidural meperidine for, 7:39
 epidural narcotics in, 7:140
 parenteral opiates for, 7:144
pH
 adjustment
 of bupivacaine
 and latency of epidural anesthesia, 14:236
 in cesarean section, 14:240
 of local anesthetics
 evaluation of alkalinization and precipitation for, 14:265
 schedule for, 14:229
 urine test strips, for detection of dural puncture, 13:169
 toxicity of local anesthetics and, 5(4):10
Phantom
 limbs (Labat lecture), 14:208
 phenomena, anesthesiologically induced proprioceptive block and, 5(3):14
Pharmacokinetics
 and pain, 10:110
 of intravenous regional anesthesia, 4(1):5
Phenol brachial plexus nerve block, for upper extremity cancer pain, 13:58
Phenolamine, intrathecal, 6:91
Phenylbutazone, topical, mucous membranes and, 6:47
Phenylephrine, 2% isobaric lidocaine with and without, in spinal anesthesia, 9:17
Photoplethysmography, epidural block and, 8:114
Phrenic
 block, 6:133
 cation concentration, bupivacaine-induced cardiac arrhythmias and, in normokalemic cats, 8:104
Physiologic disposition of local anesthesia, 7:33
Physiology
 postpartum recovery and, local anesthesia and, 6:13
 pregnancy and, major regional anesthesia and, 6:28
Pitfalls, of intravenous regional anesthesia, 4(1):13
Plasma cholinesterases, in vitro inhibitory effect on, of amide-type local anesthetics, 3(4):7
Platelet aggregation, local anesthesia effects on, 8:65
Pleural
 analgesia, for thoracic herpes zoster, 14:244
 permeability, to local anesthetics, 14:128
Plexus
 brachial, trauma to, regional anesthesia and, 6:26
 cervical, trauma to, regional anesthesia and, 6:26
Pneumatic
 splint, for limb exsanguination, in children, 12:181
 tourniquet, and hypotension in general vs. regional anesthesia, 12:174
Pores, 2(2):3
Position, effects of, on successful spinal anesthesia, 3(1):2
Post-hemiorrhaphy analgesia, preoperative
 bupivacaine for, 15:130
 percutaneous ilioinguinal-iliohypogastric nerve block for, 15:130
Post-herpetic neuralgia, thoracic, interpleural analgesia for, 15:113
Post-retrobulbar apnea syndrome, 14:203
Postcesarean section narcotic requirements, following epidural anesthesia with bupivacaine and chloroprocaine, 5(4):15
Postdural puncture headache, 3(1):5, 6:104
 cortical vein thrombosis mimicking, 12:188
 epidural blood patch for, epidural anesthesia 2 hours after, 13:13
Postherpetic neuralgia, sensory and sympathetic nerve blocks for, 11:165
Postmyelogram headache, epidural blood patch for, 2(1):4
Postoperative analgesia, parenteral opiates for, 7:144
Postoperative fatigue and convalescence, 7:S144
Postoperative nutritional status, 7:S138
Postoperative pain. *See also* Pain, postoperative
 after cesarean section, epidural hydromorphone for, 11:118
 brachial plexus block for, buprenorphine vs. morphine for, 14:274
 epidural bupivacaine for
 sufentanil, 14:183, 14:212
 with nicomorphine, 14:183
 local anesthesia via intrapleural catheter for, 11:89
 relief, 7:S110
 epidural block in, 7:135
 epidural narcotics in, 7:140
 intrathecal morphine for, 6:1
 Postpartum recovery, local anesthetic techniques and, 6:13
Potassium homeostasis, lidocaine-epinephrine intravascular injection and, 15:31

- Prazosin, causalgia and, 6:79
- Precordial Doppler monitoring, for venous air embolism, in cesarean delivery, 14:145
- Preeclampsia
epinephrine-containing local anesthetics in, maternal hemodynamic responses to, 13:107
hemolysis, elevated liver enzymes, and low platelet count (HELLP syndrome) in, general vs. epidural anesthesia in, 13:20
- Pregnancy. *See also* Obstetrics
physiologic changes during, 6:28
regional anesthesia in, 9:119
- Pressure, subarachnoid, with epidural blood patch, 4(3):3
- Prilocaine
cardiac effects of, 6:55, 7:49
topically applied, racial differences in effectiveness of, 11:11
underutilized as a local anesthetic, 10:155
vs. bupivacaine, in intravenous regional anesthesia, 11:102
vs. lidocaine, for intravenous regional anesthesia of entire leg, 12:128
- Procaine
cardiac effects of, 7:149
cardiovascular toxicity in anesthetized ventilated dogs, 7:14
for intravenous regional anesthesia, comparative study of, 15:186
plus tetracaine, vs. tetracaine, for spinal anesthesia in cesarean section, 9:195
- Prophylaxis, of thromboembolism, mini- heparinization for, 1(1):4
- Propranolol, patients treated with, cardiovascular response after spinal blockade in, 8:61
- Proprioceptive block, anesthetically- induced, phantom phenomena and, 5(3):14
- Prostate
resection, pudendal neuralgia in, 6:120
transurethral resection of, comparison of spinal and general anesthesia for, 4(4):8
- Pseudoallergic reaction, to epidural steroid deposition and skin testing, 14:253
- Pseudotumor cerebri, cesarean section in, regional anesthesia for, 11:182
- Psoas
compartment/sciatic nerve block, mepivacaine plasma concentrations in, 15:256
sheath, identification of, for lumbar sympathetic block, 15:253
- Psychoactive drugs, neurolytic block and, 6:152
- Psychological
alterations after anesthesia and surgery, 7:S141
aspects, of treatment of chronic pain, 5(3):16
- Pudendal
block, lidocaine in, postpartum recovery and, 6:13
nerve block, in greater sciatic foramen, in transurethral surgery, 12:143
neuralgia, alcohol block for, 6:120
- Pulmonary
changes after surgery, 7:S119
complications
postoperative, in geriatric patients, 7:S122
surgical stress and, 7:S133
- Pulse oximetry
for continuous monitoring of oxygen saturation, in spinal anesthesia, 12:63
for venous air embolism, in cesarean delivery, 14:145
- Race, and effectiveness of topically applied local anesthetics, 11:11
- Radical mastectomy, blood loss in, in cervical epidural anesthesia, 11:171
- Radiography
cervical facet arthrography, 10:7
of deliberate epidural air injection, 14:180
- Rat sciatic nerve, degenerative lesions in, after local injections of methyl- prednisolone in sterile aqueous suspension, 5(1):13
- Raynaud's
disease, cervical epidural block in, case report, 3(3):9
phenomenon, intravenous perfusion with reserpine for, 2(3):5
- Recovery, postpartum, local anesthetic techniques and, 6:13
- Reflex sympathetic dystrophy
of face and neck, stellate ganglion block for, 12:15
prazosin for, 6:79
- sufentanil stellate ganglion injection with, 14:90
- upper-extremity repeated stellate ganglion blocks for, 10:125
- Regional analgesia, optimal ratio of bupivacaine and dextran for, 4(4):2
- Regional anesthesia. *See also* Specific types and agents
alive, awake, and doing nicely, 1(1):1
anesthesia resident programs and, 7:26
antithrombotic activity of, 7:S89
block room, design and function of, 9:12
carbonation of local anesthetics, effect on differential sensitivity of fast and slow fibers in mammalian nerve, 10:68
cardiac conduction and contractility and, 6:55
central nervous system toxicity of, effect of age on, in mice, 8:57
chronotropic and inotropic effects on guinea pig atria, 7:149
dextran
as adjuvant in, 6:108
prolonging of, mechanism of action for, 5(2):3
direct and indirect effect on muscle blood flow-tissue oxygen pressure, 10:82
education of CRNAs for, 8:54
endocrine-metabolic response to surgery and, 7:S38
epidural block in, pancreatitis and, 6:8
feline convulsions in, ventilation for prevention of blood gas changes, 7:103
five-year index, 1975-1980, 5(4):22
for outpatient surgery, 4(4):6
for patients with chronic lung disease, 5(4):20
for renal transplantation, 4(3):13
for upper extremity surgery
ancillary measures to assure success, 5(1):9
complications, 5(1):6
historical considerations, 5(1):2
perivascular technique, 5(1):5
traditional or supraclavicular technique, 5(1):3
future challenges and opportunities in (Labat lecture), 12:113
future of, 2(3):1
general vs., 7:S163
history of, 11:105 (Labat Lecture)
in epidermolysis bullosa, 8:81
in morbidly obese, 4(3):20
in pregnant surgical patient, 9:119
intravenous
bupivacaine vs. prilocaine for, 11:102
chloroprocaine, in lower limb surgery, 7:29
choice of agents for, 4(1):10
comparison of etidocaine and lidocaine for, 5(4):17
complications of, 4(1):14
in pediatric patients, 8:69
in volunteers, comparison of lidocaine with lidocaine plus reserpine for, 10:160
lidocaine, in management of various chronic pain states, 10:1
low-dose, for upper extremity surgery, 8:117
pharmacokinetics of, 4(1):5
pitfalls and modifications of standard technique for, 4(1):13
site of action of, 4(1):8
symposium on, 4(1):3
venous pressures in, 9:70
in vitro effects of verapamil and, 7:114
maternal complications of, 6:104
medicolegal controversies in: Mini- heparinization for prophylaxis of thromboembolism, 1(1):4
metamorphosis of (Labat lecture), 9:109
mortality studies on, 7:S172
multiple trauma and, 6:26
music during, sedative effect of, 13:69
neurobehavioral effects of, fetal resuscitation and, 6:136
obstetric
chloroprocaine for, neural complications after, 9:124
complications of, 8:17
continuous mini-infusion of bupivacaine into epidural space during labor, 10:139
epidural, shivering after, 9:83
for cesarean section, tetracaine vs. tetracaine plus procaine for, 9:195

- oxygen administration during, monitoring of, 13:126
pediatric patients and, 7:64
peripheral nerve stimulators for, 10:49
physiologic disposition of, 7:33
platelet aggregation and, 8:65
postpartum recovery and, 6:13
pregnancy and physiology of, 6:28
prolonged neural blockade following caudal epidural block with 2-chloroprocaine, 10:28
proportion of in Sweden, Norway, Finland, 8:144
should it be performed by CRNAs (editorial), 8:53
supraconvulsant doses of, benzodiazepine treatment in, 6:51
test doses and, 6:23
tourniquet-induced hypertension in, vs. general anesthesia, 12:174
underutilization of prilocaine for, 10:155
use of, training and practice factors in, 11:2
vasopressors and, 4(3):19
with complete sympathetic blockade, temperature increase after, 11:27
- Renal**
failure, chronic, spinal anesthesia in, paraplegia after, 14:155
transplantation, regional anesthesia for, 4(3):13
- Report of Scientific Meeting(s), Anesthesiology triad in obstetrics: mother-fetus-physician (Innisbrook FL, Sept. 10–13, 1981), 6:159**
- Reserpine**
intravenous perfusion with, for Raynaud's phenomenon, 2(3):5
lidocaine plus, comparison of lidocaine with, for intravenous regional anesthesia in volunteers, 10:160
- Residency, anesthesia**
pain control teaching in, 8:154
regional anesthesia and, 7:26
- Resident education, and use of regional anesthesia in practice, 11:2**
- Respiration, effect of naloxone on, after intrathecal morphine, 13:146**
- Respiratory system**
arrest of, brachial plexus block and, 6:146
pregnancy and, 6:28
- Responses, to steroid epidurals, 5(3):11**
- Resuscitation, fetal, neurobehavioral effects of regional anesthesia and, 6:136**
- Retrobulbar block, intravascular, bupivacaine injection after, 6:149**
- Review article, Physiologic disposition of local anesthetics, 7:33**
- Rib fractures**
continuous epidural morphine for, 14:43
intrapleural anesthesia for, 12:10
- Ribs, fractured, intercostal nerve blockade for postoperative analgesia and, 8:151**
- Ringer's lactate, for euglycemic hydration, in epidural anesthesia, in cesarean section, 12:184**
- Ropivacaine**
in ulnar nerve block, 15:118
versus bupivacaine, for epidural anesthesia, 15:204, 15:250
with epinephrine, in urologic surgery, 15:53
- Sacral nerve blocks, anesthetic volume and, 15:125**
- Sacralization of epidural block, with bupivacaine, during labor, 15:275**
- Saline, intrathecal, 6:91**
- Sarapin, intrathecal, in lumbar paravertebral block, 7:42**
- Scanlon Early Neonatal Neurobehavioral Scale, 6:136**
- Sciatic nerve**
of frog, effect of pitcher plant distillate on, 5(1):16
of rat, degenerative lesions in, after local injections of methylprednisolone in sterile aqueous suspension, 5(1):13
- Sciatic nerve/psoas compartment block, mepivacaine plasma concentrations in, 15:256**
- 2nd international symposium, Regional Anesthesia, Advances in Regional Anesthesia and Analgesia (May 28–30, 1988), abstracts from, April–June 1988 Supplement**
- Security, price of, 5(4):2**
- Sedatives, reduced need for, and music, 13:69**
- Seizures**
bupivacaine-induced, arrhythmias and, 6:99
during repositioning in epidural anesthesia, 9:28
supraconvulsant doses of anesthetics and, benzodiazepines in, 6:51
- Seldinger technique, modified, interscalene brachial plexus block and, 6:82**
- Selective transsacral nerve root blocks, 15:125**
- Sensory pathway blockade, by bupivacaine, etidocaine, and lidocaine, 7:7**
- Sheep, pregnant, cardiovascular system of, epidural epinephrine and, 6:4**
- Shivering**
after epidural
anesthesia for cesarean section, 14:48
lidocaine, 14:13
after obstetric epidural anesthesia, 9:83
- Shock wave lithotripsy**
epidural lidocaine vs. epidural narcotics for, 15:288
repeat, epidural anesthesia for, 15:199
- Shoulder**
pain
suprascapular nerve block for, 11:156
triscapular block for, 12:70
surgery, interscalene nerve block for, onset of, and mepivacaine alkalization, 15:242
- Side-port needles, for stellate ganglion blockade, 7:160**
- Silastic continuous epidural conduit, placement of, 6:112**
- Simpson, James Young, 8:4**
- Site of action, of intravenous regional anesthesia, 4(1):8**
- Sitting height, influence of, on subarachnoid block, 2(3):2**
- Skin temperature, changes in, during continuous lumbar epidural analgesia for labor, 4(4):4**
- Skin-to-epidural space distance, in obstetric population, 15:134**
- Small intestinal transit, and epidural and spinal anesthesia, 14:35**
- SOAP, Society for obstetric anesthesia and perinatology (SOAP), 4(4):19**
- Sodium**
bicarbonate. *See* pH adjustment
bisulfite, subarachnoid, evaluation of, in rat, 12:5
channel blockade, and contractility effects of local anesthetics, 14:58
metabisulfate, with chlorprocaine, and vascular reactivity, 14:271
salicylate, topical, mucous membranes and, 6:47
thiopental, effect of, on bupivacaine, 9:171
- Somatic and visceral afferents, blocking of, 7:5188**
- Somatosensory evoked potentials, epidural bupivacaine effect on, 14:72**
- Speed of injection, bupivacaine distribution and, 15:6, 15:208**
- Spinal analgesia, chronic dezocine lactate, toxicity of, 15:94**
- Spinal anesthesia. *See also* Epidural anesthesia**
acute hyperventilation during, 10:88
after aspirin, and bleeding time, 9:86
and gastrointestinal motility, 14:35
anesthetic distribution in, temperature effects on, 13:25
bupivacaine, 13:165
cardiovascular response to, in hypertensive elderly, 14:66
distribution of
reproducibility of, 15:12
temperature and speed of injection and, 15:6, 15:208
duration of, and warming of solution, 14:199
hyperbaric, with epinephrine, in infants, 15:86
oral and subarachnoid clonidine effects on, 15:211
vs. lidocaine for, 11:68
vs. tetracaine, 9:1, 9:62
with and without epinephrine, 13:135
cardiovascular effects of, 7:S21
in patients treated with propranolol, 8:61
cerebrospinal
blood flow autoregulation in, in goats, 12:148
fluid pressure oscillations in, 12:154
comparison of general anesthesia and, for transurethral resection of prostate, 4(4):8
continuous, 8:109
crystalline vs. premixed liquid tetracaine in, 7:49
current concepts in, 10:119
differential meningitis due to *S. viridans* in, 8:85
duration of, effects of anesthetic drugs, vasoconstrictors, and continuous techniques on, 3(1):3
experiences over 40 years, 4(2):3
factors influencing, 7:20
for cesarean section, hypotension in, and neonatal outcome, 12:191
for surgery, current and future status, 4(2):10

- for transurethral bladder resection in 101-year-old man, 8:127
glucose-free bupivacaine for, effects of dose, volume, and concentration in, 11:98
headache following
 and relationship of needle bevel to longitudinal dural fibers, 10:76
 obstetric complication, 7:131
high, with bupivacaine, following obstetric epidural block technique, 4(4):21
hyperbaric bupivacaine
 lidocaine, and mepivacaine in, 9:175
 vs. lidocaine in, 11:176
hypotension in, with tetracaine vs. bupivacaine, 11:139
isobaric
 bupivacaine vs. hyperbaric lidocaine in, 12:122
 2% lidocaine with and without phenylephrine, 9:17
lidocaine and epinephrine in, serum levels of, in dogs, 8:6
monoamine oxidase inhibition in, 11:160
obstetric
 after unintentional dural puncture, 15:285
 for cesarean section, tetracaine vs. tetracaine and procaine for, 9:195
 subarachnoid hyperbaric bupivacaine vs. tetracaine-procaine for, 15:81
oxygen saturation in, pulse oximetry monitoring of, in spinal anesthesia, 12:63
oxygenation of peripheral tissues in, in young and elderly, 11:7
paraplegia after, in chronic renal failure, 14:155
paroxysmal atrioventricular heart block during, 10:149
perspectives in, 7:55
postdural headache after, obstetric complication, 7:131
reflections upon historical aspects of (Labat address), 8:89
role of volume in, 2(1):1
sensation of warmth in lower extremities as primary effect in, 2(4):5
successful effects of baricity, position, and equipment on, 3(1):2
total, cardiovascular effects of, after intrathecal bupivacaine with and without epinephrine, in dog, 9:22
Trendelenberg position in, and spread of hyperbaric bupivacaine and tetracaine, 13:34
2-chloroprocaine and bisulfide, subarachnoid injection of, in rat, 12:5
via Ommaya Reservoir, 10:95
volume augmentation of anesthetic mixture in, 2(1):2
vs. general anesthesia, in major hip surgery, 11:83
with etidocaine, accidental, 10:145
with hyperbaric
 tetracaine and bupivacaine, barbotage in, 14:26
 vs. isobaric tetracaine, tourniquet pain during, 13:29
Spinal anesthetics, multiple, case report on, 2(3):4
Spinal block
 baricity of tetracaine and, 6:129
 physiology of pregnancy and, 6:28
 postdural headache after, obstetric complication as, 7:131
Spinal cord
 compression, after epidural obstetric analgesia, 14:256
 effects of ketamine on, 6:91
 ischemia, as complication of celiac plexus block, 7:66
Spinal ganglion, vulnerability to bupivacaine, etidocaine, and lidocaine, 7:7
Spinal needle-catheter combination, in axillary sheath cannulation, for continuous brachial plexus anesthesia, 12:139
Spinal surgery, epidural anesthesia after, 15:280
Splint, pneumatic, for limb exsanguination, in children, 12:181
Standard technique, in intravenous regional anesthesia, pitfalls and modifications of, 4(1):13
Stellate ganglion block(s)
 ECG changes in, 7:157
 for reflex sympathetic dystrophy of face and neck, 12:15
 repeated, for upper-extremity reflex sympathetic dystrophy, 10:125
 side-port needles for, 7:160
Stellate ganglion injection, sufentanil, in reflex sympathetic dystrophy, 14:90
Sterile aqueous suspension, local injections of methylprednisolone degenerative lesions in rat sciatic nerve after, 5(1):13
Sterilization, ethylene oxide, of local anesthetics, 4(3):2
Steroid
 blocks, epidural, partial blindness and chest pain after, 9:98
 cervical epidural nerve blocks, complications of, 14:149
 epidurals, pain questionnaire to predict response to, 5(3):11
Steroids
 cervical epidural injection of, for cervical pain, 11:92
 epidural injection of, allergic or pseudoallergic reaction to, 14:253
Storage, of local anesthetics, 13:1
Streptococcus viridans, meningitis due to, in differential spinal block, 8:85
Stress, surgical
 catecholamine levels in, 7:S49
 pulmonary dysfunction and, 7:S133
Subarachnoid
 block
 baricity of tetracaine and, 6:129
 hypotension in, mephentermine resistance of, patient receiving metoprolol and, 8:171
 lidocaine in, postpartum recovery and, 6:13
 mepivacaine in, postpartum recovery and, 6:13
 postoperative pain relief and, 6:1
 sensory level of, influence of dose, height, and sitting height on, 2(3):2
 hematoma, after spinal anesthesia, in chronic renal failure, 14:155
 hyperbaric bupivacaine, vs. tetracaine-procaine, for cesarean delivery, 15:81
 phenol injection, development of segmental tonic-clonic activity following, 10:91
 pressure, with epidural blood patch, 4(3):3
 space, massive injection of, 6:28
 2-chloroprocaine and sodium bisulfite, evaluation of, in rat, 12:5
Subclavian
 block, 6:133
 perivascular block, ineffectiveness of transarterial techniques for, 15:245
Subdural space, massive injection of, 6:28
Sufentanil
 epidural
 for outpatient cancer pain control, 14:293
 in obstetric analgesia, 14:225
 in thoracic surgery, 14:183
 in epidural obstetric anesthesia, 14:282
 stellate ganglion injection with, in reflex sympathetic dystrophy, 14:90
 with epidural bupivacaine, after thoracic surgery, 14:212
Sufentanil
 epidural, with bupivacaine, for labor analgesia, 12:165
 high thoracic epidural with, for post-thoracotomy pain, 13:62
Suffering, pain and, 5(3):2
Supraclavicular
 block, 6:133
 technique, traditional technique or, in regional anesthesia for upper extremity surgery, 5(1):3
Supraconvulsant doses of anesthetics, benzodiazepines in, 6:51
Suprascapular nerve block, for shoulder pain, 11:156
Surgery
 arterial pressure response to, 7:S61
 cardiovascular effects of, 7:S1
 catecholamine
 levels in, 7:S49
 response to, 7:S61
 coronary hemodynamic effects of, 7:S8
 effect on blood and tissue glucose and glycolytic metabolite levels, 7:S57
 endocrine-metabolic response to, general and regional anesthesia and, 7:S38
 gastrointestinal function after, 7:S105
 glucose, cortisol, insulin, glucagon responses to, thoracic epidural analgesia and, 7:107
 immunocompetence and, 7:S68
 large-bowel, complications, 7:S99
 monocyte and lymphocyte functions during and after general and epidural anesthesia, 7:S75
 outpatient
 anesthesia in, 7:S156
 regional anesthesia for, 4(4):6
 psychological alterations after, 7:S141
 pulmonary changes after, 7:S119

- regional anesthesia for, in Sweden, Norway, Finland, 8:144
spinal anesthesia for, current and future status, 4(2):10
thoracic, in children, transcutaneous electrical nerve stimulation for, 8:163
upper extremity
 low-dose intravenous regional anesthesia in, 8:117
 regional anesthesia for
 ancillary measures to assure success, 5(1):9
 complications, 5(1):6
 historical considerations in, 5(1):2
 perivascular technique, 5(1):5
 traditional or supraclavicular technique, 5(1):3
Surgical sequelae, anesthetic procedures and, surgeon's view of, 7:S178
Sweden, regional anesthesia for surgery in, proportion of, 8:144
Sympathetic blockade
 complete, temperature increase after, 11:27
 continuous, using an axillary catheter for treatment of accidental intra-arterial injections, 10:187
 for postherpetic neuralgia, 11:165
 frostbite and, 7:128
 intravenous regional guanethidine, apnea after, 11:39
 lumbar paravertebral, hematuria in, 11:31
 regional intravenous guanethidine for, 7:52
Symposiums
 on intravenous regional anesthesia, 4(1):3
 choice of agents, 4(1):10
 complications, 4(1):14
 pharmacokinetics, 4(1):5
 pitfalls and modifications of standard technique, 4(1):13
 site of action, 4(1):8
 on local anesthetics
 biotransformation, 2(2):7
 mechanism of action, 2(2):4
 physiologic disposition, 2(2):6
 toxicity, 2(2):8
 on regional anesthesia for upper extremity surgery
 ancillary measures to assure success, 5(1):9
 complications, 5(1):6
 historical considerations, 5(1):2
 perivascular technique, 5(1):5
 traditional or supraclavicular technique, 5(1):3
Tachyphylaxis, with continuous postoperative epidural bupivacaine, 13:117
Temperature
 and anesthetic density, in spinal anesthesia, 13:25
 bupivacaine distribution and, 15:6
 changes, and shivering, after obstetric epidural anesthesia, 14:48
 increase, after complete sympathetic blockade, 11:27
 skin, changes in, during continuous lumbar epidural analgesia for labor, 4(4):4
Test dose, epidural block and, 6:23
Test strips, for detection of dural puncture, 13:169
Tetracaine
 baricity and concentration of, spinal anesthesia in sheep and, 6:129
 cardiac effects of, 6:55, 7:149
 cardiovascular toxicity in anesthetized ventilated dogs, 7:14
 crystalline vs. premixed liquid, spinal anesthesia and, 7:49
 hyperbaric
 in spinal anesthesia, and barbotage, 14:26
 vs. intrathecal bupivacaine without glucose, 9:1
 vs. isobaric, in spinal anesthesia, tourniquet pain during, 13:29
 in spinal anesthesia
 and autoregulation of cerebrospinal blood
 and hypotension, 11:139 flow, in goats, 12:148
 spread of, with Trendelenburg position, 13:34
 intrathecal, vs. bupivacaine, 9:183
 spinal anesthesia, factors influencing, 7:20
 vs. bupivacaine, for spinal anesthesia, 9:62
 vs. tetracaine plus procaine, for spinal anesthesia in cesarean section, 9:195
Tetracaine-procaine, vs. subarachnoid hyperbaric bupivacaine, for cesarean delivery, 15:81
Therapeutic index, bupivacaine vs. lidocaine and, 6:95
Thoracic
 epidural
 analgesia, glucose, cortisol, insulin, and glucagon responses to surgery and, 7:107
 bupivacaine, effect of on somatosensory evoked potentials, 15:73
 catheter placement, under fluoroscopic control in obese patients, 5(4):19
 herpes zoster, pleural analgesia for, 14:244
 post-herpetic neuralgia, interpleural analgesia for, 15:113
 surgery
 bupivacaine with epidural analgesia for
 with nicomorphine, 14:183
 with sufentanil, 14:183, 14:212
 in children, transcutaneous electrical nerve stimulation for, 8:163
 trauma, continuous epidural morphine for, 14:43
 Thoracotomy, pain after, high thoracic epidural with sufentanil for, 13:62
Thromboembolism
 blood loss, 7:S84
 in total hip replacement, lumbar epidural anesthesia for prevention of, 11:72
 mini-heparinization for prophylaxis of, 1(1):4
Thrombosis, cortical vein, mimicking postdural puncture headache, 12:188
Tissue
 electrical impedance, in identification of epidural space, 12:169
 oxygen pressure, to evaluate direct and indirect effect of local anesthetics on muscle blood flow, 10:82
 uptake and release of local anesthetics, 7:33
Topical anesthesia
 EMLA, 15:109
 etidocaine aerosol as, 8:120
Torsades de Pointes-like arrhythmias, bupivacaine-induced, in dogs, 11:20
Total hip replacement
 hypotensive epidural anesthesia for, hemodynamic response to low-dose epinephrine in, 15:295
 thromboembolism in, lumbar epidural anesthesia for prevention of, 11:72
Tourniquet
 induced hypertension, during general anesthesia, and lumbar sympathetic blockade, 13:152
 pain, during spinal anesthesia, with hyperbaric vs. isobaric tetracaine, 13:29
Tourniquet-induced hypertension, in general vs. regional anesthesia, 12:174
Toxicity
 cardiovascular, of procaine, chlorprocaine, and tetracaine in anesthetized ventilated dogs, 7:14
 central nervous system, local anesthetic, effect of age on, 8:57
 epidural anesthesia and, 6:23
 of local anesthetics, 2(2):8
 new concepts of, 4(3):6
 pH and, 5(4):10
Tracheal cough reflex, topical lidocaine and, 6:74
Traditional technique, supraclavicular technique or, in regional anesthesia for upper extremity surgery, 5(1):3
Transarterial techniques, ineffectiveness of for subclavian perivascular block, 15:245
Transcutaneous electrical nerve stimulation
 after thoracic surgery in children, 8:163
 in myofascial lumbar and cervical pain, 8:99
Transplantation. *See* Organ transplantation
Transurethral
 resection of prostate, comparison of spinal and general anesthesia for, 4(4):8
 surgery, pudendal nerve block in greater sciatic foramen in, 12:143
Trauma
 continuous interscalene brachial plexus block in, 6:82
 multiple, regional anesthesia in, 6:26
Travel by air, following lumbar puncture, 2(3):4
Treatment
 of chronic pain
 by continuous blockade of peripheral nervous system, 4(3):16
 psychological aspects of, 5(3):16

- of hypotension, 3(1):4
- Trendelenberg position, in spinal anesthesia, and spread of hyperbaric bupivacaine and tetracaine, 13:34
- Trial of labor, epidural anesthesia in, 15:304
- Triamcinolone diacetate, allergic or pseudoallergic reaction to, 14:253
- Tricyclic antidepressants, bupivacaine and, 15:180
- Triethanolamine salicylate, topical, mucous membranes and, 6:47
- Triscapular nerve block, for periscapular myofascial pain syndromes, 12:70
- Tumor, bladder, transurethral resection for, spinal anesthesia for, in 101-year-old man, 8:127
- Ulnar nerve block, ropivacaine in, 15:118
- Ultrasound guidance, in glossopharyngeal nerve block, 14:304
- Upper extremity
 - block, 6:133
 - incidence of neuropathy following, 10:12
 - cancer pain in, phenol brachial plexus block for, 13:58
 - surgery
 - low-dose intravenous regional anesthesia in, 8:117
 - regional anesthesia for
 - ancillary measures to assure success, 5(1):9
 - complications, 5(1):6
 - historical considerations, 5(1):2
 - perivascular technique, 5(1):5
 - traditional or supraclavicular technique, 5(1):3
- Urinary retention, intrathecal morphine and, 6:1
- Urine test strips, for detection of dural puncture, 13:169
- Urologic surgery, ropivacaine epidural anesthesia for, 15:53
- Uterine blood flow, epidural epinephrine and, 6:4
- Vasectomy, pudendal neuralgia and, 6:120
- Vasoconstrictors, effects of, on duration of spinal anesthesia, 3(1):3
- Vasopressors
 - in obstetrics, 8:74
 - regional anesthesia and, 4(3):19
- Veins, small, cannulation of, 8:133
- Venous
 - air embolism
 - during cesarean delivery, 15:170
 - in cesarean delivery, Doppler and oximetric monitoring for, 14:145
 - pressures, in intravenous regional anesthesia, 9:70
- Ventilation, blood gas changes in, local-anesthetic-induced feline convulsions, 7:103
- Ventricular tachycardia, bupivacaine-induced, in dogs, 11:20
- Verapamil, local anesthetic effects on isolated rat sciatic nerve, 7:114
- Volume
 - augmentation, of anesthetic mixture in spinal anesthesia, 2(1):2
 - role of, in spinal anesthesia, 2(1):1
- Volumetric infusion pumps, for continuous epidural analgesia, 4(1):3
- Von Willebrand's disease, epidural obstetric analgesia in, 14:95
- Warm sensation, in lower extremities, as primary effect in spinal anesthesia, 2(4):5
- Wood, Alexander, 8:2

AUTHOR INDEX—Volumes 1–15 (1976–1990)

- Abboud, T.K., 10:170, 11:143, 12:76, 13:101, 13:107, 14:115, 14:219, 15:300
- Abouleish, Ezzat, 7:119
- Abram, S.E., 4(3):2, 5(3):11, 6:79, 9:210, 11:39, 11:80, 12:139, 14:159
- Ackerman, William E., 13:169, 15:89, 15:152
- Adriani, John, 5(1):2, 5(4):3, 6:47
- Afrasiabi, A., 14:115, 14:219, 15:300
- Aguilar, J.L., 14:93, 15:45
- Ahmad, Riaz, 14:299
- Ahnefeld, F.W., 9:55, 9:212
- Aitkenhead, A.R., 7:S99
- Akerman, Bengt, 14:138
- Alais, Michel, 13:135
- Albrecht, Willard H., 6:120
- Aldrete, J. Antonio, 2(3):2, 4(3):6, 14:78
- Ali, Nabil M.K., 7:128
- Allen, Colin D., 15:94
- Allen, P.D., 14:58
- Altemeyer, K.-H., 8:136
- Amar, David, 11:147, 14:95, 15:272
- Amini, Saeid, 15:237
- Ampel, Leon L., 8:69
- Anaes, F.C., 14:162
- Anderson, Ralph A., 5(3):11
- Arandia, Hernando Y., 12:169
- Arasi, Robert, 11:156
- Arendt-Nielsen, Lars, 15:186
- Arguelles, Jaime, 5(1):13
- Arias, Lorraine M., 14:90
- Arino, Peter, 14:155
- Artal, Raul, 10:170
- Arthur, G. Richard, 9:22, 9:171, 10:175, 13:25
- Arweström, Eva, 13:165
- Asano, Makoto, 10:88
- Asiddao, Caridad B., 11:182
- Aurellano, Zenaida, 13:58
- Avram, Michael J., 11:27
- Awad, Said A., 15:125
- Axelsson, Kjell H., 15:53
- Bader, Angela M., 15:261
- Bahde, Carol, 9:200
- Baldwin, Susan L., 8:6
- Balfors, Eva, 7:S8
- Barnes, Michael, 15:113
- Barrios-Alarcon, Jorge, 14:78
- Barsa, J.E., 7:160
- Bartkowski, Richard, 14:90
- Baysinger, Curtis L., 11:118
- Beardsworth, David, 10:184, 13:25, 14:199
- Bedder, M.D., 14:305
- Begin, Gregory, 10:1
- Behbehani, Michael M., 15:76
- Beltranean, H.P., 6:149
- Bengtsson, M., 8:139, 11:83, 13:146
- Benhamou, D., 14:240, 15:59
- Benkhadra, Abdellatif, 14:66
- Benlabed, M., 15:59
- Benzon, Honorio T., 9:86, 11:27
- Berdeaux, Alain, 14:299
- Berens, Richard, 15:309
- Bertrix, L., 15:180
- Bessey, Palmer Q., 7:S178
- Bigler, Dennis, 11:151, 13:117
- Bishay, Emil G., 8:127
- Bizzarri, Dante V., 8:114
- Bizzarri-Schmid, Marina D., 15:269
- Bjerring, Peter, 15:186
- Blancato, Louis S., 12:184
- Blanchard, Janna, 15:194
- Blankenship, G., 6:149
- Blass, Norman H., 4(3):20
- Bledsoe, Stephen W., 15:147
- Blitt, Casey D., 9:188, 11:139
- Block, Alan, 6:55
- Blomqvist, Hans, 13:165, 14:195
- Boas, R.A., 5(2):2
- Boersma, F.P., 14:294
- Bonhomme, L., 14:240, 15:59
- Bonin, John D., 5(4):10, 7:103, 8:104
- Bonnet, F., 13:29, 15:211
- Boon, Jacob, 9:A5
- Borden, Herman, 3(3):9
- Borup, Jerrell L., 8:109
- Borzecki, Maciej, 4(3):16
- Boskovski, Nikola, 8:165
- Bourke, Denis L., 8:212
- Bowdle, T. Andrew, 11:123
- Bowdler, I., 8:55, 8:212
- Brand, Leonard, 11:34
- Brandon, David, 14:236
- Brechner, Theresa, 6:18
- Brechner, Verne L., 7:126
- Brickley, Richard, 11:14
- Bridenbaugh, L.D., 2(1):4, 3(2):6, 4(4):6, 5(4):2, 7:26, 7:49, 7:156, 7:170, 15:219
- Bridenbaugh, Phillip O., 1(1):4, 2(3):1, 3(1):5, 5(1):6, 7:S151, 8:120, 11:61, 11:98, 13:169, 14:1, 15:1, 15:250
- Brodsky, Jay B., 2(3):4, 4(3):17, 9:119
- Bromage, Philip R., 6:85, 7:95, 7:140, 9:109, 11:62, 14:189, 15:170
- Brooks, Juliana H.J., 15:215
- Brown, David L., 13:13, 14:63
- Brown, Eli M., 4(1):13
- Brown, W.V., Jr., 4(4):21
- Brunner, Edward A., 9:86
- Buckley, Joseph J., 7:66
- Buckwalter, Joseph A., 7:128
- Buettner, Johannes, 14:124
- Buffington, Charles W., 11:2
- Bugedo, Guillermo J., 15:130
- Buhl, John L., 9:154
- Buisson, V. Brun, 13:29, 15:211
- Burger, Gerald A., 9:195
- Burm, Anton G.L., 14:289
- Burney, Robert G., 9:90, 10:1, 10:91, 11:14
- Butler, Stephen H., 6:26
- Cail, Wayne S., 13:131
- Cairns, Andrew W., 7:2
- Caldwell, Craig B., 8:130
- Camann, William R., 15:41, 15:261
- Campos, Frederick A., 2(3):4
- Candler, Eric M., 14:19
- Capogna, Giorgio, 14:121, 14:283
- Cappadona, Donald, 11:14
- Cárcamo, César R., 15:130
- Caron, John, 6:44
- Carpenter, Randall L., 15:199
- Carron, Harold, 2(1):1, 2(4):1, 3(1):1, 3(3):2, 4(1):3, 4(3):2, 4(4):10, 5(3):2, 6:5A, 6:159, 14:4
- Cartwright, Philip D., 13:1
- Carvalho, José Carlos Almeida, 13:91

- Castro, Jose L., 12:184
 Catoire, P., 15:211
 Celleno, Danilo, 14:121, 14:283
 Chan, Vincent W.S., 14:48
 Chantigian, Robert C., 9:195
 Chaouki, Khaled, 14:88
 Chauhan, Dinesh, 13:20
 Chen, Linda, 12:143, 15:268
 Cherala, Sundararaj R., 14:158, 15:15, 15:272
 Chervenak, Frank A., 12:184
 Chester, Martin H., 6:74
 Chester, William L., 14:236
 Chestnut, Julian S., 8:109
 Cheung, M., 14:115
 Chevers, Pamela, 11:95
 Chilcoat, Robert, 12:169
 Chinthagada, Mariadas, 7:39
 Christensen, Tom, 7:S144
 Cianci, James P., 15:273
 Clark, Alexander J., 15:125
 Clayton, Brian, 14:236
 Cockings, E., 12:159
 Cohen, Ilan, 15:237
 Cohen, Sheila E., 4(3):11, 5(4):15
 Cohen, Shaul, 7:131, 9:8, 14:95, 15:272
 Colburn, Raymond W., 15:94
 Colclough, George, 15:273
 Collier, Clive, 6:44
 Collier, H.W., 8:176
 Concepcion, Mercedes, 9:1, 9:183, 12:174, 15:109
 Condouris, George A., 12:5
 Conseiller, C., 14:279
 Cook, Paul T., 12:63
 Coombs, D.W., 4(3):3, 6:112, 7:110, 7:170, 15:94
 Cooper, C. Morgan, 14:13
 Corke, B.C., 4(4):21
 Corkill, Guy, 8:99
 Costandi, Joseph, 10:170
 Costin, Melania, 12:188
 Cotton, Leonard, 1(1):4
 Cousins, Michael J., 14:162
 Couzon, P., 15:180
 Covino, Benjamin G., 2(2):6, 4(1):5, 5(2):8, 6:23, 6:55, 6:123, 6:129, 7:93, 9:1, 9:22, 10:68, 10:133, 10:175, 11:1, 11:105, 11:132, 14:99
 Covino, Brian M., 7:14, 7:149, 8:57
 Coyle, Dennis E., 9:171
 Cremonesi, Eugesse, 13:91
 Cress, Jerome C., 6:82
 Cronin, K.D., 8:175
 Crul, J., 9:62, 13:62
 Cwik, John, 12:70

 Dagnino, Jorge A., 15:130
 D'Agostino, D., 5(2):8
 Dahl, J.B., 15:73
 Dailland, P., 14:279
 Daitch, Jonathan S., 14:95
 Dalens, Bernard, 15:150
 Daley, M.D., 15:280
 D'Angelo, Vincent F., 2(3):4
 d'Athis, Françoise, 13:135, 14:274
 Datta, Sanjay, 6:13, 7:69, 9:124, 9:135, 9:195, 13:25, 14:145, 14:265, 15:51, 15:81, 15:261
 Davidson, J., 14:219
 Davies, Michael J., 12:63
 Davis, H., 5(1):19, 6:86, 13:101, 13:107
 Davis, Nancy L., 6:99
 de Campo, Teruel, 5(1):20
 Deeb, Ramon J., 10:24
 Deen, Louis, 12:148, 12:154
 Defalque, Ray J., 12:172

 DeGirolami, Umberto, 11:14
 De Grood, P. M., 9:62, 11:176, 12:122
 De Jong, R., 2(2):8, 5(4):10, 6:51, 6:99, 6:124, 7:103, 8:104
 de La Coussaye, Jean E., 13:135, 14:274, 15:215
 Denson, D., 5(1):16, 8:10, 9:94, 9:171, 13:169, 14:31, 14:289, 15:76, 15:89
 Deroo, Daniel B., 15:94
 DeRosa, Richard, 6:51
 Desai, Sukumar, 8:133, 12:174, 14:58, 15:269
 deSayro, A. Michael, 6:4
 Desparmet, J., 11:168
 Desverreux, J.N., 13:141
 Dhamee, M. Saeed, 11:182, 15:311
 Dhingra, Usha, 12:174
 Dick, W., 9:55, 9:212, 13:34, 14:26
 Diemar, Vivi, 13:69
 DiFazio, Cosmo A., 2(2):7, 3(4):2, 5(3):24, 6:95, 6:125, 10:16, 14:271, 15:37
 Dirkes, William, 9:94, 13:117, 15:53
 Dohi, Shuji, 10:88, 11:171, 15:31
 D'Onofrio, L., 14:115, 14:219
 Doucette, Ann Marie, 10:175
 Dougherty, Thomas B., 11:118
 Doumas, Basil T., 4(3):2
 Draper, E.M., 11:139
 Dror, A., 13:101, 13:107
 Drost, Rykent H., 14:107
 Dryden, Gale E., 6:120
 Duggan, J., 9:70
 Dunbar, Ronald, 4(4):8
 Dunlevy, Harry A., 9:90
 Dunn, Steven M., 14:225
 DuPuis, Jean-Yves, 14:81
 Duranteau, Jacques, 14:299
 Durkin, Andrew, 11:31
 Durrani, Zia, 9:146, 14:229
 Dworkin, Robert H., 11:34

 Ebert, Thomas J., 15:288
 Eckhaus, Michiel N., 14:212
 Edouard, Alain, 14:299
 Edström, Håkan, 9:1, 9:62, 11:98, 11:139, 11:151, 11:176, 12:122, 14:31, 15:53, 15:118, 15:204
 Edwards, W. Thomas, 10:1, 10:91, 11:14
 Ejdrup, Helle, 13:117
 Eledjam, J., 13:135, 14:274, 15:215
 El-Faqih, Salah, 14:189
 Ellis, John, 14:13
 Ellis, Kenneth, 14:155
 Ellis, Ralph G., Jr., 7:170
 Emmerich, Engelbert A., 7:S163
 Emmerich, Margarete, 7:S163
 Erickson, Rolland P., 10:125
 Essel, Scott K., 14:31
 Ewing, David A., 15:275

 Fang, Xu Hui, 14:55
 Farrar, M.D., 6:133
 Faucon, G., 15:180
 Fehm, H.L., 7:107
 Feldman, Hal S., 6:129, 7:14, 7:149, 8:57, 9:22, 10:133, 10:175
 Ferrante, F. Michael, 14:85
 Fink, B.R., 5(4):7, 6:125, 7:2, 7:133
 Finucane, B.T., 5(4):17, 10:165, 12:80
 Fitch, Robert D., 12:18
 Fitzal, S., 5(4):11
 Fitzgerald, Timothy E., 15:268
 Flynn, K.B., 3(4):7
 Fong, Jill, 15:271
 Ford, Douglas J., 5(1):16, 9:73, 10:49
 Fortune, John B., 14:43

- France, Randal D., 9:98
Francois, Y., 15:211
Frank, Evan D., 15:26
Fratkin, Jonathan D., 15:94
Frederickson, E.L., 4(3):19
Freedman, John M., 14:259
Freniere, Steven, 4(4):8
Freund, Peter R., 6:26, 11:123
Freysz, M., 15:180
Frolicher, Deborah A., 14:19
Fruhstorfer, Heinrich, 15:118
Fujimori, Mitsugu, 13:83
Fung, Dennis, 4(4):2, 5(2):3
Fyhr, Peter, 13:1
- Galindo, Alvaro, 5(2):12
Galindo, Anibal, 5(2):12, 7:7, 7:134
Gallo, Jeffrey P., 15:26
Gamble, Charles A., 7:103, 8:104
Gambling, David R., 14:133, 14:309
Gandhi, Shantilal K., 11:182
Gangolly, J., 13:101, 13:107
Garfield, Joseph M., 11:95
Gaumann, Dorothee M., 13:77
Gautier, Philippe E., 14:251
Geraci, Robert P., 6:123
Gerard, Jean-Louis, 14:299
Gerber, H.R., 7:29
Gerentes, I., 15:180
German, James D., 14:253
Gertsch, Ralph, 11:160
Gewirtz, Eric C., 12:188
Ghia, J.N., 6:152, 8:85, 8:154, 8:166, 9:102, 10:193
Giasi, R., 5(2):8, 7:14
Gibbs, Charles P., 4(2):14
Gibbs, Richard, 1(1):4
Giddon, Donald B., 5(3):16
Gielen, M., 9:62, 11:176, 12:122, 13:62, 14:101, 14:183, 14:212, 15:6, 15:47, 15:53, 15:137, 15:204, 15:256
Gillick, John J., 2(3):4
Gillies, Bruce S., 14:256
Gintautas, Jonas, 7:114
Gissen, Aaron J., 9:124, 9:135, 10:68, 11:132
Gissen, David, 13:40, 13:72
Glass, Peter S.A., 12:18
Gleman, Simon, 5(4):19
Go, K. Gwan, 12:148
Goldberger, Neil, 3(2):4
Goldiner, Paul L., 14:95
Gooding, Daniel J., 11:118
Gordh, Torsten, 2(4):5, 4(2):3
Gorski, Daniel W., 7:39
Gorsky, Benjamin H., 2(3):5, 7:170
Gotta, Alexander W., 8:65
Gray, Dennis C., 12:143
Green, Leverage, 7:128
Greene, Michael F., 7:69
Greene, N.M., 7:55, 12:113, 14:2
Greene, R., 14:158, 15:15
Greenhouse, B. Barry, 14:43
Gregg, Richard V., 15:76, 15:108
Gregoretii, Sergio, 10:149
Gregory, Peter B., 5(4):15
Gregus, Joseph, 10:68, 11:132
Grejda, Steven, 14:155
Grimes-Rice, Marsha, 15:242
Gross, Jeffrey B., 8:130
Grossman, Karen L., 14:90
Grueter, Jean A., 14:236
Gudman, Jonathan, 12:10
Guelmi, K., 15:59
- Gupta, Bhagwandas, 15:215
Gyermek, Laszlo, 3(4):3
- Haasio, J., 15:174
Haberer, Jean P., 14:66
Habib, Farajallah, 10:1
Häggmark, Sören, 7:58
Hagins, Frances M., 11:128
Hagmeier, C.H., 15:46
Haljamäe, Hengo, 7:S57, 7:S122
Haller, Carol A., 15:142
Halter, Jeffrey B., 7:S49
Hameroff, S.R., 9:188, 11:139
Hamilton, Robert C., 15:106
Hammonds, William, 4(4):8
Hamza, J., 15:59
Handler, Joseph S., 15:170
Hanowell, Leland H., 13:126
Hansen, Ole Bo, 14:72
Hanson, Alena L., 10:139
Hanson, Bengt, 10:139
Haraldstad, Per, 15:113
Hardy, Paul A.J., 13:162
Harris, Mark M., 14:13
Hartrick, Craig T., 9:94
Hartwell, Barbara L., 15:81
Harty, Michael, 12:143
Harzenetter, J., 9:55, 9:212
Hasenbos, M., 13:62, 14:183, 14:212
Hassan, Haggag G., 14:138
Hauch, Martha A., 15:81
Havelin, Diane, 12:5
Haynsworth, Robert F., Jr., 10:187
Heavner, James, 10:160, 10:187, 11:160, 14:128
Hekali, Riitta, 12:128
Henriksen, Eva, 10:170
Herman, Michael, 15:237
Herold, John, 15:89
Herren, Adrian L., 4(4):4
Hersh, Elliot V., 12:5
Hew, E.M., 15:280
Hickey, Rosemary, 15:194, 15:245
Hilgenhurst, Graf, 15:2
Hilgier, Maciej, 4(3):16, 10:59
Hill, Anne B., 6:4
Hill, Russell F., 13:112
Hingson, Robert A., 6:62
Hinkle, Allen J., 8:163
Hjortso, N.-C., 7:S68, 11:151, 13:122
Ho, Khang-Cheng, 4(3):2
Hoffman, Joan, 15:194, 15:245
Hole, Anton, 7:S75, 7:S141
Hollmen, Arno, 2(4):2
Hooper, Donald, 4(3):3
Hoppe, Uwe, 14:124
Hord, Allen H., 14:206
Horowitz, Arthur M., 9:183
Horrow, Jan C., 15:109
Horton, William G., 11:2
Howie, Michael B., 14:19
Hoyt, McCallum, 15:237
Hu, Xiaohan, 14:225
Huho, John, 11:176
Humbles, Frank F., 15:103
Hunt, Catherine O., 15:81
Hupert, Cesia, 9:203
Husain, Imtiaz, 14:189
Hymes, Jayson A., 10:197, 11:11
- Ikuta, Paul T., 14:229
Ilias, W., 5(4):11

- Ilsley, Anthony H., 7:S24
 Ilstrup, Duane M., 10:125
 Ionescu, T.I., 14:107, 15:49

 Jackson, Stephen, 11:31
 Jacobs, Jerry, 11:143, 12:76
 Jacquinet, P., 14:279
 Jahn, Eric P., 11:80
 James, Daniel J., 10:16
 Janik, Ralph, 13:34, 14:26
 Järmerot, Gunnar, 14:35
 Jense, Holly G., 12:18
 Johns, Roger A., 14:271
 Johnson, A., 11:83, 13:146
 Johnson, Calvin, 15:304
 Johnson, Mark D., 14:145, 15:41, 15:51, 15:153
 Johnson, Richard, 11:7
 Johnston, Henry C., 8:120
 Jorfeld, L., 5(2):6
 Jorrot, J.C., 14:279
 Joseph, Ninos J., 15:142
 Jouppila, Pentti, 2(4):2
 Jouppila, Ritta, 2(4):2
 Jullien, P., 15:59
 Juneja, Mustaque M., 13:169, 15:89, 15:152

 Kaczorowski, David M., 13:169
 Kafer, Enid R., 8:123
 Kalra, M., 14:115
 Kalso, Eija A., 9:175
 Kampine, John P., 15:288
 Kanefield, Jeffrey, 13:126
 Kaplan, Joel A., 5(4):20
 Kaplan, Lawrence I., 5(3):14
 Kaplan, Ronald, 7:52, 13:58
 Kasten, Gregory W., 11:20
 Katz, Jeffrey A., 15:250
 Katz, Jordan, 1(1):4, 2(1):7, 2(2):10, 3(1):8, 3(2):8, 3(3):11, 3(4):10, 4(1):10, 4(3):23, 4(4):23, 5(2):22, 5(3):23, 6:1, 8:117, 9:68, 14:161
 Katz, Ronald L., 13:40
 Katz, Yeshayahu, 15:312
 Keene, C. Lynn, 14:256
 Kehlet, H., 7:S38, 7:S68, 7:S144, 8:136, 11:151, 13:117, 13:122, 14:72, 15:53, 15:73
 Kennedy, Thomas M., 14:43
 Kennedy, William F., 3(1):2
 Kepes, Edith R., 7:52
 Kerkkamp, Hans E.M., 15:53, 15:137, 15:204
 Kern, Steven, 11:143
 Kettler, Robert E., 15:311
 Khalil, Magdy, 13:20
 Kho, Hing-Gwan, 14:183
 Khoo, N., 14:115
 Kimball, Baylen G., 12:135
 Kirimli, Bulent, 14:10
 Kirk, N., 6:149
 Kirsner, R.L.G., 8:175
 Klose, Roderich, 14:124
 Knape, Kelly G., 15:194
 Knapp, Robert M., 7:165
 Knarr, Donna, 15:250
 Knight, Paul R., 7:157
 Koka, Babu V., 8:163
 Kopacz, Dan J., 15:19, 15:199
 Korbon, Gregg A., 10:16, 13:131
 Kossmann, B., 7:107, 8:136, 9:55, 9:212
 Kothary, S.P., 3(4):7
 Kozody, R., 7:160
 Kraynack, Barry J., 7:114
 Kroll, Donald A., 7:157
 Kroon, Jan W., 15:6
 Kuikka, Jyrki, 2(4):2

 Kur, M., 6:8
 Kunz, Roger D., 14:253
 Kuulasmaa, Kari A., 15:12
 Kvalheim, Lars, 14:244, 15:113
 Kyttä, J., 15:174

 LaBaille, Thierry, 14:240
 Labat, Gaston, 1(1):2
 Lagerweij, Evert, 12:148, 12:154
 Lagerwerf, A.J., 15:256
 Lamarche, Y., 10:129
 Lambert, Donald, 9:124, 9:135, 9:195, 13:25, 14:199
 Lander, Christopher J., 13:131
 Landry, Daniel P., 15:154
 Lanz, Egon, 7:S163, 9:28
 Lawrence, Van S., 9:17
 Lawson, Dan, 14:13
 Lawson, Noel W., 7:114
 Leak, William D., 7:64
 Leal, Jorge J., 12:169
 LeBeaux, Maxim I., 6:129
 Lee, A., 11:102
 Lee, Chingmuh, 8:127
 Lee, J. Alfred, 10:99
 Lee, Ju H., 9:17
 Lee, Victor C., 12:139
 Leighton, Barbara L., 15:285
 Lennon, Robert L., 13:77
 Lerman, Juan Carlos, 9:188
 Lessire, H.M., 13:15
 Levy, Jeffrey H., 10:192
 Levy, Stuart J., 10:16
 Lewis, D.H., 5(2):6
 Lewis, R.C., 12:159
 Lewis, Stephen F., 15:61
 Lief, Philip A., 14:85
 Lightfoot, Robert W., Jr., 6:79
 Lilley, Jean-Pierre, 11:165
 Lind, Leonard J., 10:184
 Lindsay, D., 14:305
 Linke, Clara L., 4(3):13
 Lirzin, J.D., 14:279
 Little, William L., 14:152, 15:86
 Littlewood, D.G., 11:68
 Liu, Philip, 7:14, 8:57
 Llamazares, J.F., 14:93, 15:45
 Lo, Josephine N., 7:66
 Löfström, J.B., 5(2):6, 7:33, 8:139, 10:82, 11:83, 13:146
 Long, Jim, 12:70
 Lopez, F. Vidal, 14:93, 15:45
 Losch, Christian J., 8:171
 Loufoua, J., 15:180
 Lund, C., 13:122, 14:72, 15:73
 Lund, N., 10:82
 Lund, Peere C., 8:89
 Luykx, Willem M., 7:131, 9:8

 Macintosh, Robert Reynolds, 3(2):2
 Maddi, Rosemarie, 15:109
 Madsen, Karin E., 15:288
 Magitsky, Ludmilia, 9:17
 Mahaffey, John E., 15:103
 Maier, V., 7:107
 Mainemer, Martine, 13:135
 Maitra-D'Cruze, Anita M., 11:80
 Makar, A., 13:101, 13:107
 Malinow, A.M., 13:141, 14:256
 Mallampati, S. Rao, 9:183, 10:28
 Malley, Ross A., 15:86
 Mandel, Stanley, 8:123
 Manny B.T., 11:139
 Mantilla, M., 13:101, 13:107, 14:115

- Marcandoro, J., 13:29
 Marengo-Rowe, Allan, 1(1):4
 Maripuu, Enn, 11:72
 Mark, James B.D., 4(3):17
 Mark, Jonathan B., 15:109
 Markovits, Robert, 15:312
 Marsh, James D., 14:58
 Marsland, A.R., 6:146
 Martin, R., 10:129, 11:39
 Martin, Rene, 14:81
 Martz, D.G., 13:141, 14:256
 Marx, Gertie, 6:67, 6:104, 7:131, 9:8, 11:147, 12:188, 15:232
 Masters, Robert W., 9:146, 14:229
 Mather, Laurence E., 7:144, 7:S24, 10:110
 Mathers, James A., 4(4):4
 Mathias, Roberto Simão, 13:91
 Matjasko, M.J., 13:141
 Matson, Jeffrey A., 10:193
 Matsumiya, Naoki, 15:31
 Matthijssen, C., 13:62
 Mayson, Kelly, 14:133
 Mazloomdoost, Manoochehr, 14:10
 McClain, Deborah A., 5(4):17, 12:80
 McDonald, Donald J., 15:288
 McDonald, John S., 3(3):2
 McGuinn, W. J., 13:141
 McIlvaine, William B., 14:244, 15:113
 McKay, Warren, 12:10, 15:26
 McKeown, D.W., 9:70, 9:207, 11:68, 11:102
 McLaren, Alexander D., 7:S172
 McLeskey, Charles H., 7:170
 McMorland, Graham H., 14:133, 14:309
 McRae-Bergeron, Cheryl E., 8:54
 McSweeney, Thomas D., 14:19
 Mehrotra, Deepak, 9:83, 12:135
 Mehta, Dharendra, 14:158, 15:15
 Mehta, Prabodh, 9:83, 12:135
 Meiklejohn, B.H., 15:134
 Melzack, Ronald, 6:85, 14:208
 Merin, Robert G., 4(3):13
 Merits, H., 8:139, 11:83
 Mertens, Renato A., 15:130
 Meyer, James A., 2(3):4
 Mihic, D., 8:177, 10:76
 Mikat-Stevens, Marianne, 14:180, 15:150
 Millbern, S. Michael, 4(4):4
 Miller, Francis L., 15:268
 Miller, George L., 6:122
 Miller, John, 11:95
 Milliken, Ralph A., 8:114
 Mineo, Robert, 15:295
 Minokadeh, Said, 6:47
 Miralles, Jose Andrés, 14:247
 Modig, Jan, 7:S84, 11:72
 Mogensen, Torben, 11:151, 13:117, 13:122
 Mokriski, B., 13:141, 14:256
 Moller, Ib W., 11:151
 Montero, A., 14:93, 15:45
 Montgomery, S.J., 5(2):14
 Moore, Daniel C., 3(1):3, 5(1):3, 6:86, 7:20, 8:178, 15:223
 Moore, J., 13:101, 13:107
 Moore, Michael J., 12:76
 Moore, P.L., 12:159
 Moore, Paul A., 9:90
 Moore, Randolph, 14:133
 Morgan, G. Edward, 14:203, 15:107
 Morley-Forster, Patricia K., 14:48
 Morningstar, B.A., 15:280
 Mortimer, Wyn, 14:19
 Mosaad, P., 13:101, 13:107, 14:115
 Moscicki, Jeffrey C., 14:271, 15:37
 Mostert, Jacobus W., 2(1):5
 Mueller, James B., 15:86
 Mukkada, Thresiamma A., 8:120, 11:98
 Mullin, Vildan, 7:157
 Mulroy, Michael F., 15:19, 15:199
 Muñoz, Hernán R., 15:130
 Murakawa, K., 11:143, 12:76
 Muravchick, Stanley, 11:7
 Murphy, Dermot F., 8:151
 Murphy, Frank L., 15:268
 Murphy, T.M., 7:160
 Murray, Ellen, 1:9, 12:174, 15:109
 Murray, William J., 13:112
 Mustafa, Kamil, 8:114
 Naguib, Mohamed, 14:189
 Nahrwold, Michael L., 6:4
 Naraghi, M., 6:47
 Naroll, Maud, 13:40, 13:72
 Naulty, J.S., 7:69, 9:195
 Neigh, John L., 2(1):2
 Nelson, William, 6:1
 Nguyen, Hong Nhung, 6:44
 Nicholson, Carolyn J., 13:169, 15:89
 Nickel, Peter M., 11:61
 Nickels, John H., 14:88
 Niederlehner, James R., 6:95
 Nilsson, Acke, 13:165, 14:195
 Nimmo, Walter S., 7:S105
 Nishimura, Kiyoji, 13:83
 Nolte, H., 4(2):10, 6:133, 10:152, 15:118
 Noorduyn, H., 14:294
 Norenberg, Michael D., 5(1):13
 Norris, Mark C., 12:191, 15:285
 Norway, Sally B., 10:175
 Nyhman, Hakan, 7:58
 Oberg, Bjarne, 15:186
 O'Brien, David, 4(4):8
 O'Hara, Jerome, 15:242
 Oriol, Nancy E., 15:154
 Ostermayer, Renate, 9:78
 Ostheimer, Gerard W., 4(2):14, 4(4):17, 6:13, 6:28, 6:136, 7:69, 8:53, 9:195, 14:265
 Ouellette, Robert D., 9:200
 Paatero, Heikki, 13:157
 Pageau, Mark G., 7:110
 Pai, Umeshraya T., 13:169
 Palas, T.A.R., 7:29, 15:271
 Pallares, Vincente S., 5(1):20
 Palmer, Craig M., 15:50
 Palmer, Susan K., 9:210, 11:80
 Palomaki, Eero Artturi, 14:247
 Pantazis, Karen L., 8:6
 Paragas-Tapia, Delilah, 14:78
 Park, Woo Young, 11:128, 13:49
 Parkinson, Stephen K., 14:152, 15:86
 Parreira, Rogerio M., 11:80
 Patel, Hemlata J., 5(3):14
 Patel, Kanchan P., 9:146
 Patel, Kirit, 9:83, 12:135
 Patel, Pratima R., 5(3):14
 Patt, Richard B., 15:48
 Paul, R., 14:115
 Payne, M., 15:300
 Pecsok, James L., 15:86
 Peer, Gerald, 12:70
 Peeters, C., 6:23
 Peeters-Asdourian, Christine, 10:91
 Pelligrino, Dale A., 15:67
 Peng, Alfred T.C., 12:184
 Perez-Tamayo, Luis, 2(3):2

- Perrachon, Natacha, 14:240
 Perry, Phil C., 10:16
 Peter, James B., 3(3):9
 Peterfreund, Robert A., 14:265
 Peterson, David O., 8:109
 Pettersen, Bjorg, 15:113
 Pfisterer, Werner, 13:58
 Pflug, A.E., 7:S49
 Phero, James C., 5(1):16
 Philip, Beverly K., 8:17, 10:21
 Phillips, Gareth H., 12:165
 Pierce, Eric T., 14:31
 Pierre, Philippe A., 14:251
 Pilcher, Charles W.T., 14:138
 Pither, Charles E., 9:73, 10:49
 Pitkänen, M.T., 9:175, 10:62, 13:157, 15:174
 Polet, Alexandre, 6:44, 7:164
 Pontus, Stephen P., Jr., 15:309
 Poreda, Marguerite, 7:69
 Porter, Charles T., Jr., 14:152
 Post, C., 5(2):6
 Poulos, John G., 14:88
 Powell, George, 14:225
 Poy, Jean Y., 14:66
 Prys-Roberts, C., 7:S1
 Purtock, Robert V., 9:154

 Raberger, G., 5(4):11
 Rabinovitz, Sharon L., 5(3):16
 Racle, Jean P., 14:66
 Racz, Gabor B., 10:160, 10:187
 Rahlfs, Volker W., 9:78
 Raj, P., 1(1):7, 2(1):6, 2(2):2, 2(4):8, 3(1):7, 3(2):7, 3(3):12, 3(4):11, 4(1):3, 4(1):8, 4(1):15, 4(2):15, 4(3):24, 4(4):24, 5(1):9, 5(1):24, 5(2):14, 5(2):24, 8:10, 8:19, 9:73, 9:94, 10:49, 15:157
 Raj, Stephen S., 7:52
 Ramamurthy, Somayaji, 8:158, 15:194, 15:245, 15:253
 Ramanathan, Jaya, 13:20
 Rane, A., 13:146
 Rao, Tadikonda L.K., 7:39, 10:191
 Ravindran, Ram S., 8:6, 8:61, 8:171
 Raza, Syed M., 14:229
 Ready, L.B., 7:160, 8:175, 11:2
 Reaney, John, 15:242
 Redick, Lloyd F., 13:112, 15:44
 Reiestad, Finn, 11:89, 12:10, 14:244, 15:113
 Reiff, Klaus, 9:28
 Reisman, Richard M., 14:85
 Reiz, Sebastian, 7:S8
 Renck, Hans, 8:144, 14:138
 Reyes, A., 13:101, 14:115, 14:219, 15:300
 Reymonds, Alan, 7:44
 Rich, Charles R., 9:17
 Richardson, M., 14:115
 Riegler, Francis X., 15:67
 Rizor, Randy F., 6:112
 Rocco, A., 9:1, 9:183, 10:119, 10:145, 12:10, 12:174, 14:85, 15:26
 Rocco, Julie, 11:95
 Rodriguez, J., 15:300
 Roelofs, Jan M.M., 14:107
 Rolbin, S.H., 15:280
 Rooke, G. Alec, 15:147
 Rose, Robert J., 12:181
 Rosenberg, Beno, 15:312
 Rosenberg, Henry, 3(2):4, 5(2):21
 Rosenberg, J., 13:117, 15:73
 Rosenberg, P.H., 9:175, 10:62, 10:160, 11:160, 12:128, 13:157, 15:12, 15:174
 Rosenblatt, Richard, 4(1):3, 4(4):2, 5(1):19, 5(2):3, 5(2):14, 6:82, 6:108, 7:46, 8:10, 8:99, 9:12
 Rosenblum, Stuart M., 8:81, 10:16
 Rosner, Howard L., 11:34

 Rowlingson, John C., 8:81, 11:156
 Rozsa, I., 6:8
 Rudzinski, John P., 8:69
 Runciman, William B., 7:S24

 Saada, M., 13:29, 15:211
 Sage, David J., 7:149, 10:175
 Sahlstedt, Bo, 11:72
 Saint-Maurice, C., 11:168
 Sakker, Samuel, 6:44
 Sanford, Theodore J., Jr., 8:117
 Santos, Divina J., 14:31
 Sarkis, Faruk, 11:143
 Saunders, Richard, 7:110, 7:170
 Schachner, Sandy, 7:44
 Scheybani, M., 6:133
 Schubert, Armin, 14:180, 14:236
 Schulte-Steinberg, Ottheinz, 9:78
 Schuss, Marvin, 11:147
 Schuster, Stephen B., 8:123
 Schwander, D., 6:117
 Schwartz, Arthur, 11:34
 Schwartzman, Robert J., 14:90
 Schweitzer, S., 7:135
 Schweppe, M.L., 13:15
 Sconzo, John M., 15:37
 Scott, D.B., 4(1):14, 7:135, 7:S21, 7:S110, 9:70, 9:207, 13:95, 14:53
 Scott, David A., 12:63
 Scott, Dianne L., 8:85
 Scott, N.B., 13:122
 Scurlock, James E., 2(2):4, 6:122
 Seeling, W., 8:136
 Sehlhorst, Constance S., 14:289
 Senra, Waldir Garcia, 13:91
 Shah, Kamlesh, 7:39
 Shah, Pravin, 8:114
 Shal, Ruth, 9:12
 Shamsi, Haider H., 12:184
 Sharrock, Nigel E., 15:295
 Sherrill, Duane L., 11:62
 Sheskey, Michael C., 9:1, 10:28
 Sheth, Rupa, 14:158
 Shnider, Sol M., 3(3):5, 8:74
 Shulman, Morton, 11:92, 12:1, 15:142
 Shulman, Steven M., 12:184
 Sibai, Baha M., 13:20
 Silverman, David G., 12:143
 Simon, A.M., 15:256
 Simon, Dana L., 14:253
 Simon, James N., 14:256
 Simpson, Roy, 1(1):4
 Singh, Pritam, 11:98
 Siradovic, A., 6:117
 Skaredoff, Michael N., 6:28
 Sklar, Garry S., 5(3):14
 Slappendel, Robert, 14:212
 Slatery, John T., 11:123
 Smith, David, 11:31
 Smith, Heidi S., 13:13
 Smith, M. Heather, 15:275
 Smith, Rodney T., 3(3):9
 Smith, Samuel R., 5(4):17
 Smith, Theodore C., 12:143
 Soni, V., 6:23
 Soraya, M., 11:143, 12:76
 Sørensen, Mogens B., 7:S8
 Spence, A.A., 7:S119
 Spielman, F.J., 8:154, 9:102
 Spierdijk, Johan, 14:289
 Spilker, E.D., 7:107, 8:136
 Spitzer, Loren, 14:236
 Sprague, Robert S., 15:253

Spraker, Mary K., 11:11
Stanek, B., 5(4):11
Stanton-Hicks, M.D'A., 13:34, 13:62, 14:26
Stefansson, Thorsteinn, 7:S122
Steffans, Z., 14:219, 15:300
Stein, David, 15:242
Steinberg, Robert B., 14:225
Steinberger, Eileen K., 9:98
Stevens, Rom, 14:180, 14:236, 15:150
Stewart, Gwendolyn J., 7:S89
Stewart, J.A., 15:280
Stewart, K., 11:68
Stieber, Scott F., 9:102
Stienstra, Rudolf, 15:6, 15:208
Stone, David J., 14:271
Stowe, David F., 15:288
Strausburg, Bradley J., 8:61
Strichartz, Gary R., 2(2):3
Strömskag, Kjell Erik, 11:89
Su, W.P. Daniel, 11:165
Sullivan, Colleen A., 8:65
Swart, F., 13:101, 13:107
Swartzman, Sheila, 8:158
Sweeney, Nancy J., 15:89

Tabatabaia, Mahmood, 14:10
Tagariello, Vincenzo, 14:121
Taivainen, Tomi R., 15:12
Takeshima, Reiko, 11:171
Tanghøj, Hans, 14:35
Tarkkila, Pekka Juhani, 14:247
Tassonyi, E., 6:8
Tatekawa, Shigeki, 13:83
Taverne, Rene H.T., 14:107
Teeple, Edward, 6:152, 8:85
Tetrault, J., 10:129, 14:81
Tetrault, L., 10:129
Tetzlaff, John E., 15:242
Theiss, Dieter, 7:S163, 9:28
Theriot, Eugene, 9:83, 12:135
Thomas, Jerome E., 7:44
Thomas, P.S., 7:52, 12:169
Thompson, Gale, 3(1):4, 7:55
Thorborg, P., 10:82
Thorén, Titti, 14:35
Thorn, J., 7:135
Tierney, Eamon, 15:275
Timour, Q., 15:180
Tolas, Andrew G., 7:S49
Tom, Carol Mei-Lin, 14:90
Tomassetti, Marco, 14:283
Tompkins, Bonnie M., 2(1):2
Touboul, C., 13:29
Treissman, D. A., 5(1):22, 6:45
Triantafillou, Anastasios N., 10:95
Tsueda, Kentaro, 10:95
Tung, Alfred S., 6:91
Tuominen, Marjatta K., 10:62, 15:12
Turner, D., 14:128
Twycross, Robert G., 5(3):2

Ullman, David A., 14:43
Urban, Bruno J., 9:98
Urquhart, Barbara, 15:295
Usubiaga, Lilia E., 4(3):6

VadeBoncouer, Timothy R., 15:67, 15:217
Vaisrub, Naomi, 9:86
Valentin, Niels, 13:69
Valli, Harri, 12:128, 13:152
Van Aken, H., 13:15

Van Clief, Martha, 14:180, 15:150
Van Heteren, J.A., 13:62
Van Obbergh, Luc J., 14:251
van Poorten, Frans, 15:6, 15:208
Van Rossum, Jacques M., 14:107
Van Steenberge, Albert, 14:251
Vanden Bussche, G., 14:294
Vandyke, Donna F., 10:95
Vartikar, Jasmine, 14:145, 15:51
Vasireddy, Appa Rao, 14:229
Veering, Bernadette T., 14:289
Vega, M.J., 6:149
Veille, J.C., 15:237
Veilleux, L.J., 10:129
Vemulapalli, Rao, 7:52
Verlander, Michael, 10:16
Veselis, Robert A., 15:264
Vesterberg, Karl, 7:S138
Viechnicki, M. Bruce, 10:24
Viegas, Oscar J., 6:120, 8:6, 8:61, 8:171
Viel, Eric J., 13:135, 14:274, 15:215
Vielle, G., 6:117
Vimlati, L., 6:8
Vinnars, Erik, 7:S138
Vitek, Jiri J., 5(4):19
Volk, E., 7:107
Vosu, Helen A., 14:48
Vree, T.B., 15:256

Wahlström, A., 13:146
Wakefield, M.L., 13:141
Waldman, Kathy, 12:15
Waldman, Steven D., 12:15, 14:149
Walker, Francis O., 15:61
Wall, Patrick, 14:261
Wallace, George, 8:175
Walther-Larsen, Søren, 13:69
Wandall, Johan H., 7:S68
Wang, Boardman, 4(2):8, 7:170
Wang, Josef K., 2(3):3, 10:125, 11:165
Wattwil, Magnus, 14:35, 15:53
Wedel, Denise J., 10:7, 13:77
Wein, Alan J., 12:143
Weinstein, Zelig, 14:180
Weiss, Jess B., 7:69
Wetchler, Bernard V., 7:42
Whalen, Thomas V., 14:152, 15:86
Wickström, Ingemar, 7:S122
Wildsmith, J.A.W., 8:1, 9:161, 10:119, 10:155, 11:68, 11:102, 13:47, 14:260
Williams, Scott, 14:128
Williamson, Brian R., 13:131
Wills, Michael H., 14:271
Wilmore, Douglas W., 7:S178
Wilson, Margaret A., 8:158
Wilson, Peter R., 10:7
Wimpy, Rollin E., 14:43
Winchell, Sidney W., 7:46, 7:64, 10:12
Winckers, Eduard K.A., 14:107
Winnie, Alon P., 1(1):1, 3(2):1, 5(1):5, 7:S5, 9:146, 14:207, 14:229
Witcher, Terry, 7:7
Wolfe, Robert, 10:12
Wong, Alan, 2(3):4
Wong, Laura Fraser, 13:72
Wood, Kathleen M., 5(1):13
Wresch, Peter, 14:124
Wright, Richard, 8:10
Wyner, Janet, 5(4):15

Yaksh, Tony L., 6:91
Yanagi, Thormason, 10:170
Yarnell, Ralph W., 15:275

Yoon, Helen J., 15:242
Youngstrom, Paul, 15:237
Yukioka, Hidekazu, 13:83

Zaki, N., 13:101, 13:107
Zarbalian, Ali, 9:83
Zetina-Velez, Blanca, 2(3):2


Zhu, J., 13:101, 14:115, 15:300
Zimpfer, M., 5(4):11
Zivkovich, Veljko, 14:253
Zozime, J.P., 13:29
Zsigmond, Elemer K., 3(4):7
Zuurmond, Wouter W.A., 12:148, 12:154
Zwarts, Simon J., 14:183

BURRON'S

PERIFIX[®]

Epidural
Anesthesia
Products

**Creating
New Standards
in The
Industry**



- Innovative Epidural needles and catheter systems.
- Custom trays designed to your specifications.
- Full line of standard trays and accessories.


BURRON MEDICAL INC.
824 Twelfth Avenue
Bethlehem, PA 18018
800-523-9695 / 215-691-5400
B. Braun of America Company

B.BRAUN



SPINOCAN[®] Spinal Anesthesia Products

**Needles with
the difference
you can feel**



- Full line of unique SPINOCAN needles and standard trays.
- Custom trays designed to your specifications.

BURRON MEDICAL INC.
824 Twelfth Avenue
Bethlehem, PA 18018
800-523-9695 / 215-691-5400
B. Braun of America Company



